

# SAFETY DATA SHEETS

**This SDS packet was issued with item:**

078942350

N/A

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

078910957

N/A

## UTI+

### Ingredients

<b>Aconitum napellus 200c:</b> (Monkshood)	Sudden onset bloody urine with anxiety straining & burning on urination, Absence of urine in shock or in newborns
<b>Apis mellifica 6c:</b> (Honey Bee)	Acute or chronic cystitis and nephritis. Albumen, casts in cloudy urine, thirstless types averse to heat. Absence of urination in newborns
<b>Argentum nitricum 30c:</b> (Silver nitrate)	A remedy for anxious pets with symptoms matching violent pain urinating. The urine can be dark red or yellow red urine with.
<b>Arnica montana 6c:</b> (Leopard's bane)	Bruising or injury of urinary tract with painful urination from trauma including self trauma from licking, catheterization, urinary stones crystals or surgery.
<b>Arsenicum Album 6c:</b> (white oxide of arsenic)	Nephritis with albumen +++, cells, fibrin, pus, blood in urine. Black urine Anxious chilly restless and thirsty types which sip small amounts at a time.
<b>Avena Sativa 4x:</b> (Common Oat)	Nervousness anxiety predisposing to urinary tract problems
<b>Belladonna 30c:</b> (Deadly nightshade)	Acute urinary infections or complaints. Urine bloody, dark, cloudy, with phosphate. Fever, dilated pupils, bounding pulse, pain. Follows Aconite
<b>Benzoicum acidum 6c:</b> (Benzoic Acid)	Cystitis, Nephritis, kidney stones, Strong foul odor like horse urine, excess uric acid, as occurs in diabetes leading to joint stiffness and pain
<b>Berberis vulgaris 4x:</b> (Barberry)	Major remedy for support of entire renal system and urinary tract which is antiseptic , relieves burning sensations and radiating pains around kidneys
<b>Calcium phosphate 30c:</b> (Calcium phosphate)	Pain in bladder worse when empty. Useful where there are stones or crystals containing Phosphates
<b>Calendula officinalis 4x:</b> (Pot Marigold)	Helps healing of all tissues
<b>Cantharis vesicatoria 6x, 6c, 30c, 200c:</b> (Spanish Fly)	Straining to pass drops of urine or blood which burn causing patient to cry out (beware of obstruction which requires veterinarian attention)
<b>Causticum 6c, 30c:</b> (Potassium Hydrate)	Bladder paralysis from any cause including spinal injury, strong smelling dark cloudy urine, involuntary urination or dribbling urine painful urination
<b>Chimaphila umbellata 30c:</b> (Pipsissewa)	Acute Urinary Tract Inflammation , urine bloody cloudy and difficult to pass
<b>Copaiva 7x:</b> (Balsam of Copaiva)	Acts on genito-urinary organs with corrosive milky discharge at meatus which is swollen and inflamed .Thickening & burning of neck of bladder
<b>Echinacea angustifolia 4x:</b> (Purple Cone-flower)	An anti-infective remedy in general and in cystitis where there is cloudy urine which is frequent and scanty and sometimes even involuntary
<b>Epigaea repens 4x:</b> (Gravel weed)	indicated with chronic cystitis with mucus, pus, gravel (fine sandy stones/crystals/uroliths) with pain straining after urination

<b>Equisetum hyemale 4x:</b> (Horse tail)	Major remedy in weakness of the urinary tract and bladder sphincter in elderly patients particularly - beneficial in cats kept indoors or eat grass a lot.
<b>Ferrum Phosphoricum 12x:</b> (Phosphate of iron)	Anemia of chronic renal disease. Inflammation & pain in early stages diarrhea can be present in patient at same time.
<b>Gelsemium sempervirens 30c:</b> (Yellow Jessamine)	Painful urination, partial bladder paralysis, incontinence
<b>Graphites naturalis 30c:</b> (Black Lead)	Stricture in urethra cloudy sour smelling urine
<b>Hydrangea arborescens 4x:</b> (seven-barks)	Kidney stones, crystals uroliths and pains associated with these eases their passage. Berberis complements action of this remedy
<b>Hydrastis canadensis 4x:</b> (Golden seal)	Highly antiseptic especially in the urinary tract and better used as homeopathic as overharvesting for herbal use is endangering the plant
<b>Ignatia amara 30c ,200c:</b> (St. Ignatius Bean)	Cystitis following emotional triggers such as grief, anger, worry (fear / stress) etc. Burning smarting with continual urge to urinate
<b>Kali muriaticum 12x:</b> (Potassium chloride)	Cystitis with slimy white discharge or thick white mucous. Acute Cystitis
<b>Lachesis muta 30c:</b> (Bushmaster. Surukuku)	Bloody urine with blackish clots, General remedy for sepsis
<b>Lycopodium clavatum 12x,30c:</b> (Club moss)	Cloudy milky, especially red sand (gravel) in urine, cries before urination, Right kidney pain. Helps in correcting metabolic predisposition to stones
<b>Merc Sol/Mercurius vivus 30c:</b> (Mercury)	Nephritis, cystitis with straining. Albuminous urine, greenish discharge, offensive odour & ulceration locally and in mouth. Urinate more than drinks.
<b>Natrum muriaticum 30c:</b> (Common Salt)	Great thirst with flooding of litter tray in cats never seen going to toilet often weight loss or fluid retention such as edema due to anaemia
<b>Nux Vomica 30c, 200c:</b> (poison nut)	Spasmodic Bladder paralysis especially in spinal injury, Bladder spasm kidney pain, frequent urge to urinate, bloody urine. Related to Ignatia
<b>Pareira brava 6x:</b> (Virgin-vine)	Painful urination especially with induration of bladder (hardness & thickening) constant urging and straining
<b>Passiflora incarnata 4x:</b> (Passion flower)	Calms anxiety and spasm both leading to and in the treatment of cystitis
<b>Petroselinum sativum 4x:</b> (Parsley)	Very painful urination with milky or yellow discharge from penis, cystitis with gravel in urine, also increase in urine put helping with uremia & fluid retention.
<b>Phosphorus 6c,30c:</b> (Phosphorus)	Chronic & Acute Nephritis with or without jaundice, blood, albumen, sugar in urine or an oily pellicle (film) on urine. Friendly out going and thirsty pets
<b>Plumbum Aceticum 30c:</b> (Acetate of lead)	Chronic Kidney Failure,, sclerotic shrunken hard nodular kidneys. Like Causticum it is indicated for paralysis of the bladder.
<b>Pulsatilla nigricans 30c:</b> (Wind flower)	Cystitis with changeable signs in clingy thirstless, chilly pets who like fresh air and yet are chilly known as the weather cock remedy for it's changeability



<b>Sabal Serrulatum 6x:</b> (Saw Palmetto)	Known as the herbal catheter. For great difficulty in urinating, stricture of urethra. The alleviation of restriction of flow from enlarged prostate.
<b>Sarsaparilla officinalis 30c:</b> (Wild liquorice)	Crying with straining passing urine which can be sandy pus filled slimy with crystals & difficulty passing urine. Prevention of recurrence Like Calc Renalis
<b>Scutellaria laterifolia 4x :</b> (Skullcap)	Like Passiflora this is a calming remedy helping alleviate anxiety and fear leading to or caused by cystitis
<b>Sepia officinalis (succus) 6c, 30c, 200c:</b> (Cuttlefish ink)	Chronic cystitis, pain in bladder before urination, incontinence. Bloody milky consistency urine with sandy sediment.
<b>Solidago virgaurea 4x:</b> (Goldenrod)	Cystitis, chronic nephritis with dark scanty or clear stinking, albuminous, mucous, phosphatic urine, voided with difficulty. Sore & tender Kidneys area.
<b>Staphysagria 6c, 30c:</b> (Stavesacre)	Burning Cystitis especially if emotional in origin or following surgical procedures or after mating, Inappropriate urination, spraying
<b>Stramonium 30c:</b> (Stink-weed)	Inappropriate urination after fear fright terror bladder weakness or paralysis
<b>Sulphur 12x:</b> (Brimstone. Sublimed Sulphur)	Cystitis nephritis with copious thirst in patients averse to heat or being washed, are prone to be dirty and hard to train to litter tray conditions can have pus
<b>Terebinthia oleum 6c:</b> (Turpentine)	Acute & Chronic bladder, kidneys infection blood present . Urine smokey with coffee grounds or thick, yellow, slimy, muddy sediment. Odor of violets
<b>Thalapsi Bursa 4x:</b> (Shepherd's Purse)	Chronic cystitis with sediment and particularly with brick red dusty sediment. Kidney colic and stones, blood in urine, urethritis. dribbling in elderly,
<b>Thuja occidentalis 30c:</b> (Arbor vitae)	Kidneys - Pains especially left side, which are worse motion Urethra swollen inflamed. Cystitis or renal problems after vaccination especially if left sided.
<b>Uva Ursi 4x:</b> (Bearberry)	Cystitis with painful straining blood & slime in urine, Kidney stones with pus in kidneys & urine. Herb and low potency indicated as supportive with E Coli.
<b>Valeriana officinalis 4x:</b> (Valerian)	nervous females. with increased urination contains a white, red or turbid

**INDICATIONS:** For relief of upper and lower urinary tract complaints where a drug free approach is favored. The ingredients have drug monographs covering burning straining, difficult or inappropriate urination; urine with a range of abnormalities from blood through mucous and pus to odour and colour changes either with or without the presence of crystals gravel or stones. The drug monographs also cover chronic and acute complaints such as cystitis, nephritis. UTI+ can be used in combination with conventional medications or in less severe cases on its own helping reduce chemical toxicity and the systemic disturbance caused by medications.

**FORMS:** Liquid      **PACKAGE SIZE:** 15 ml bottle

<b>ACUTE DOSE:</b>  ½ hourly to hourly for 4-8 doses	<b>Kittens – 5 drops, Adult Cats - 10 drops,</b>
	<b>Multiple cats:</b> 5-10 drops per cat in community water, once daily for 14 days.
	<b>Felines and pets under 1 lbs.</b> 1-2 drops in min 8oz water, 3 times daily.
	<b>Puppies – 5 drops, 3 times daily</b>
	<b>Dogs</b> under 60lbs 10 drops
	<b>Dogs</b> over 60lbs 15 drops



ONCE IMPROVEMENT STARTS CHANGE TO FOLLOW ON DOSE

<b>FOLLOW ON DOSE</b>	<b>Kittens</b> – 5 drops, <b>Adult Cats</b> - 10 drops,
	<b>Multiple cats:</b> 5-10 drops per cat in community water, once daily for 14 days.
	<b>Felines and pets under 1 lbs.</b> 1-2 drops in min 8oz water, 3 times daily.
	<b>Puppies</b> – 5 drops, 3 times daily
<b>3 TIMES DAILY</b>	<b>Dogs</b> under 60lbs 10 drops
	<b>Dogs</b> over 60lbs 15 drops

ONCE CONDITION HAS CLEARED STOP DOSING, IT CAN ALWAYS BE RESTARTED IF COMPLAINT RECURS

**ADMINISTRATION:** Optimally, the liquid preparation should be dropped directly on to the mucous membrane of the mouth, the including lips, by raising the head until the mouth opens. Where an animal finds this distressful or an owner is unable to comply, the medication can be put in the food, water or milk. Where a cat or pet is sensitive to the odor of the alcohol preservative, a 10-20 minute period should be allowed for it to dilute and evaporate before the liquid or food is presented to the patient. Occasionally, animals will shake their heads as a response to the alcohol preservative, or cats may salivate excessively--in these cases presenting it in food, water or milk works.

**ADVERSE EFFECTS AND CONTRAINDICATIONS:** None known other than reversible effect of overdosage. Overdosage will result in a return of symptoms after the symptoms have initially disappeared. Where a return of symptoms occur while on the medication, ceasing to use will alleviate the effect. Patients who are hypersensitive to homeopathic preparations will show response to a single dose, which may not need to be repeated for some time. For this reason therapy should always start with a single dose the previous day and should a major response be seen, therapy should not be recommenced until symptoms relapse and then only a single dose given for maximum effect. Although there is no evidence that there are any safety issues, extra care should always be taken when dealing with pregnant animals. Should a suspected adverse reaction be seen or advice needed, please contact HomeoPet, LLC (contact information at bottom of sheet).

**DRUG INTERACTIONS:** None known for animal use; keep out of reach of children.

**PHARMACEUTICAL PRECAUTIONS:** Store at room temperature, out of direct sunlight, and away from strong odors.

**USER SAFETY:** No adverse effects have been recorded. There have been reports to the company of beneficial rather than adverse effects. As homeopathics are active in humans care is advised when handling product, although a long history of homeopathics used in humans shows a very high safety margin.

**ENVIRONMENTAL IMPACT:** To date none found.

**Authorization#, NDC#:** 61571-444-10

