

SAFETY DATA SHEETS

This SDS packet was issued with item:

078696442

N/A

PRODUCT NAME: ISOPROPYL ALCOHOL 99%

This Material Safety Data Sheet is being provided to your company, for the purpose of providing current health and safety information to your management and employees who work with this product. Please read the data provided and then provide it to those people at your company who have the responsibility to insure compliance with both FEDERAL and STATE Right to Know regulations, and to those employees that request information on this product.

Federal Regulations: Parts 29 and 42 Code of Federal Regulations.**State of Illinois:** Public Act 83-240

SECTION 1 - PRODUCT IDENTIFICATION

Manufacturer: First Priority, Inc.
1585 Todd Farm Drive
Elgin, IL 60123**Telephone Number:** 800-650-4899
Emergency Number: Chemtrec
800-424-9300**Chemical Family:** Alcohols**Formula:** (CH₃)₂CHOH**Hazard Classification:** Hazardous**HMIS Rating System:** Health-2/Flammability-3/Reactivity-0

SECTION 2 - HAZARDOUS COMPONENTS

Ingredient	CAS#	PEL/TLV	Percent
Isopropyl Alcohol	67-63-0		99%

The hazard communication standard requires that such mixtures be assumed to present the same health hazard as do components that constitute as least 1% of the mixture (0.1% for carcinogens) although OSHA has noted that the hazards of individual components may be altered by including them in a mixture. Some of the ingredients of this mixture are a trade secret. NE = not established.

SECTION 3 - PHYSICAL DATA

Boiling Point:	180° to 181° F	Specific Gravity:	0.79 @ 68°F
Vapor Pressure:	96 mmHg @ 100° F	Percent Volatile:	N.E.
Vapor Density:	at 1 atm (Air=1) Greater than 1.00	Evaporation Rate:	2.88 n-Bu Acetate=1
Solubility in Water:	100.00 @ 68°	Appearance & Odor:	Clear colorless liquid with typical odor

PRODUCT NAME:**ISOPROPYL ALCOHOL 99%**

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point (Method): 53°F Method - TCC (Tag Closed Cup)
Estimated Flammable Limits in Air: Lower: 2 Upper: 12.7% (v) 200° F
Extinguishing Media: Water spray, alcohol type foam and dry chemical.
Special Fire Fighting Procedures: Use water spray to cool fire exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with alcohol type foam and dry chemical. Try to cover liquid spills with foam.
Unusual Fire & Explosion Hazards: Flammable liquid, can release vapors that form flammable mixtures at temperatures at or above the flashpoint. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION: THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

SECTION 5 - HEALTH HAZARD DATA**Effects Of Overexposure**

Eyes: Irritating, and will injure eye tissue if not removed promptly.
Skin: Frequent or prolonged contact may irritate and cause dermatitis.
Inhalation: Vapor concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anesthetic and may have other central nervous system effects. Negligible hazard at ambient temperature (-18 to 38 Deg C: 0 to 100 Deg F)
Ingestion: Minimal toxicity. Small amounts of the liquid aspirated into the respiratory system during ingestion, or from vomiting, may cause bronchiopneumonia or pulmonary edema.

Emergency First Aid Procedures:

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes. Get medical attention.
Skin Contact: Thoroughly wash exposed area with soap and water. Remove contaminated clothing, including shoes, after flushing has begun.
Inhalation: Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention.
Ingestion: If swallowed, DO NOT induce vomiting. Keep at rest. Get prompt medical attention.

SECTION 6 - REACTIVITY DATA

Stability: Stable
Conditions to avoid instability: Not applicable.
Incompatibility: Caustics, amines, alkanolamines, aldehydes, strong oxidizing agents, and chlorinated compounds.
Hazardous Decomposition Byproducts: None.
Hazardous Polymerization: Will not occur.

SECTION 7 - SPILL OR LEAK PROCEDURES**Steps To Be Taken In Case Of Large Amount Of Material Is Released Or Spilled:**

Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Prevent liquid from entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Do not use combustible materials such as sawdust. Recover by pumping (use an explosion proof or hand pump) or with a suitable absorbent. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

PRODUCT NAME:**ISOPROPYL ALCOHOL 99%**

SECTION 8 - SPECIAL PROTECTION

Respiratory Protection:	Self-contained breathing apparatus.
Ventilation:	Use of mechanical dilution ventilation is recommended whenever this product is used in a confined space, is heated above ambient temperatures, or is agitated. Use explosion-proof ventilation equipment.
Protective Gloves:	Chemical resistant gloves.
Eye Protection:	Chemical goggles or face shield.
Other Protective Equipment:	Emergency eye wash stations and showers should be available.

SECTION 9 - SPECIAL PRECAUTIONS OR COMMENTS**Special precautions to be taken**

in handling & storing: Keep container closed. Handle and open containers with care. Store in a cool, well ventilated place away from incompatible materials. Do NOT handle or store near an open flame, heat or other sources of ignition. Protect material from direct sunlight. This material is not a static accumulator, but use proper grounding procedures. Do not cut, heat or weld containers. Empty product containers may contain product residue. Do NOT reuse empty containers without commercial cleaning or reconditioning.

Initial Date: July, 1996.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof. First Priority, Inc. makes no representations as to the completeness or accuracy thereof. Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will First Priority be responsible for damages of any nature whatsoever resulting from use of or reliance upon said information presented herein. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

SAFETY DATA SHEET

Isopropyl Alcohol 99%

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED):	Isopropyl Alcohol 99%
SYNONYMS:	Isopropanol; 2-Propanol:IPA 99%
CAS#:	67-63-0
1.2 PRODUCT USE:	Rubefacient, Antiseptic, Disinfectant
CHEMICAL SHIPPING NAME/CLASS:	Isopropanol or Isopropyl Alcohol
U.N. NUMBER:	UN1219
1.3 MANUFACTURER'S NAME:	First Priority, Inc.
ADDRESS:	1590 Todd Farm Drive, Elgin, IL 60123-1287
BUSINESS PHONE:	800-650-4899
EMERGENCY PHONE:	800-424-9300 (Chemtrec U.S. – 24 Hrs)
WEB SITE:	www.prioritycare.com
DATE OF CURRENT REVISION:	July 1, 2015
DATE OF LAST REVISION:	New

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear colorless solution with a strong odor of Isopropyl Alcohol.

Health Hazards: Repeated or prolonged exposure may cause irritation to skin. Can be absorbed through the skin. May cause irritation to eyes upon contact. May cause respiratory irritation upon inhalation. Vapors may cause drowsiness and/or dizziness. May be harmful if ingested.

Flammability Hazards: This product is a combustible liquid with a flash point of 53°F (11.6°C)

Reactivity Hazards: None known

Environmental Hazards: The Environmental effects of this product have not been investigated. Release of this product may have adverse effects in the aquatic environment.

US DOT SYMBOLS



CANADA (WHMIS) SYMBOLS

Complies with WHMIS 2015

EUROPEAN and (GHS) Hazard Symbols



Signal Word: **Danger!**

2.1 GHS LABELING AND CLASSIFICATION:

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 200-661-7 AnnexVI Index# 603-117-00-0

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

Isopropyl Alcohol

2.2 LABEL ELEMENTS:

GHS Hazard Classification(s):

Flammable Liquid Category 2

Eye Irritant Category 2

STOT SE Category 3

Hazard Statement(s):

H225: Highly flammable liquid and vapor

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

Precautionary Statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. No Smoking

P261: Avoid breathing dust/fumes/gas/mist/vapors

P281: Use personal protective equipment as required.

SAFETY DATA SHEET

Isopropyl Alcohol 99%

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, inhalation and ingestion. The symptoms of overexposure are described below.

ACUTE:

INHALATION: Inhalation of mist or spray may cause respiratory irritation. Vapors can cause drowsiness and/or dizziness.

CONTACT WITH SKIN: Prolonged or repeated contact may cause irritation. May be absorbed through the skin

EYE CONTACT: Contact may cause eye irritation.

INGESTION: Under normal conditions of intended use, this material is not expected to be an ingestion hazard. Ingestion may cause gastrointestinal irritation, nausea and vomiting.

CHRONIC: Prolonged or repeated exposure can be irritating to mucous membranes, skin, and respiratory system. Can cause liver and kidney damage

TARGET ORGANS: Acute: Eyes, Skin, Respiratory tract **Chronic:** Cardiovascular system, Kidney, Liver

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	GHS Hazard Classification
Isopropyl Alcohol	99 -100%	67-63-0	200-661-7	H225 Flam Liq Cat 2, H319 Eye Irrit Cat 2, H336 STOT SE Cat 3
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				

NOTE: This product has been classified in accordance with the hazard criteria of the CFR and the SDS contains all the information required by the CFR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists or blurred vision occurs.

SKIN CONTACT: Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Some individuals may develop skin sensitization from exposure.

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Inhalation of vapors may cause drowsiness or dizziness.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods below:

Water Spray: No

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

This product is a flammable liquid with a flash point 53°F (11.6°C). Keep containers tightly closed when not in use. Vapors may travel to source of ignition and flash back.

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: Yes


SAFETY DATA SHEET

Isopropyl Alcohol 99%

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)	1		
FLAMMABILITY HAZARD (RED)	3		
PHYSICAL HAZARD (YELLOW)	0		
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations.

6.2 ENVIRONMENTAL PRECAUTIONS:

Stop leak. Contain spill if possible and safe to do so. Prevent product from entering drains.

6.3 SPILL AND LEAK RESPONSE:

Stop the flow of material, if this can be done safely. Dike and contain the spill with inert material (sand, earth, fuller's earth, etc.) and if appropriate, transfer the liquid and solid diking material to containers for disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Wash clothing before reuse. Keep spill out of all sewers and open bodies of water. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Use good hygiene practices. As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Use good hygiene practices.

7.2 STORAGE AND HANDLING PRACTICES:

Store in original container. Keep container closed. Store in a cool, dry location. Avoid exposure to ignition sources and incompatible materials.

7.3 SPECIFIC USES:

See section 1.2 for details.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Isopropyl Alcohol	67-63-0	200 ppm	500 ppm

SAFETY DATA SHEET

Isopropyl Alcohol 99%

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above. Use self-contained breathing apparatus or respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Chemical splash goggles or face shield are recommended to avoid contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. Emergency eye wash stations should be available.

HAND PROTECTION: Chemical resistant gloves are recommended to prevent contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use as appropriate to prevent skin contact. Emergency showers should be available. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a clear colorless solution.

ODOR: Strong Isopropyl Alcohol odor

ODOR THRESHOLD: Not Available

pH: Not Available

MELTING/FREEZING POINT: Not Available

BOILING POINT: 181°F (82.8°C)

FLASH POINT: 53°F (11.6°C)

EVAPORATION RATE (n-BuAc=1): Not Available

FLAMMABILITY (SOLID, GAS): Flammable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: 2% / 12.7%

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available

VAPOR DENSITY: 43.2 hPa @ 68°F

RELATIVE DENSITY: Not Available

DENSITY: 2.1 kg/L

SOLUBILITY IN WATER: Miscible

WEIGHT PER GALLON: 6.55 lbs/gal (3.0 kg/gal)

PARTITION COEFFICIENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Available

DECOMPOSITION TEMPERATURE: Not Available

VISCOSITY: Not Available

VOC g/l / Lb/gal: 784.9 g/l (6.55 gal/lb)

9.2 OTHER INFORMATION:

No additional information available

10. STABILITY and REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.

SAFETY DATA SHEET

Isopropyl Alcohol 99%

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Heat, flame, contact with strong oxidizers and acids.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Strong oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition products include carbon dioxide and carbon monoxide in varying quantities.

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

No LD₅₀ Data Available

SUSPECTED CANCER AGENT: One of the ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies.

Isopropyl Alcohol CAS# 67-63-0: IARC Group 3: Not Classifiable as to its carcinogenicity to humans.

IRRITANCY OF PRODUCT: This product may be irritating to skin, eyes or respiratory system.

SENSITIZATION TO THE PRODUCT: This product is not a sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: Inhalation – May cause drowsiness or dizziness.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE: Prolonged exposure can be irritating to mucous membranes, skin and respiratory system. Can cause liver and kidney damage.

ASPIRATION HAZARD: None

12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No toxicity data available.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

No specific data available on this product.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

12.7 WATER ENDANGERMENT CLASS:

Not water endangering in accordance with EU Guideline 91/155-EWG.

12.8 SPECIFIC AVAILABLE COMPONENT INFORMATION:

No additional data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined

SAFETY DATA SHEET

Isopropyl Alcohol 99%

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows:

14.1 PROPER SHIPPING NAME: Isopropanol
14.2 HAZARD CLASS NUMBER and DESCRIPTION: Class 3 Flammable liquid
14.3 UN IDENTIFICATION NUMBER: UN1219
14.4 PACKING GROUP: PGII
14.5 DOT LABEL(S) REQUIRED: Flammable liquid Class 3

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: 129

RQ QUANTITY: None

14.6 MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.7 SPECIAL PRECAUTIONS FOR USER:
None

14.8 INTERNATIONAL TRANSPORTION:

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

15.1 UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

SARA 313 Reporting: Alcohol CAS# 67-63-0 70%

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients within this product are not on the Proposition 65 Lists.

15.2 CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Complies with WHMIS 2015.

15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.
See Section 2 for full Details.

15.4 AUSTRALIAN INFORMATION FOR PRODUCT: The components of this product are listed on the International Chemical Inventory list.

SAFETY DATA SHEET

Isopropyl Alcohol 99%

15.5 JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

15.6 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftlist List of Toxic Substances: Listed

U.S. TSCA: Listed

16. OTHER INFORMATION

PREPARED BY: Paul Eigbrett – (**GHS MSDS Compliance PLUS**)

DATE OF PRINTING: July 1, 2015

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. First Priority, Inc assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, First Priority, Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET