

SAFETY DATA SHEETS

This SDS packet was issued with item:

078915422

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078047701 078917827



Tylan Soluble

Effective Date: 23-Nov-2009

Elanco Animal Health
Material Safety Data Sheet

Section 1 - Chemical Product and Company

Manufacturer:

Elanco Animal Health
Division of Eli Lilly and Company
2001 West Main St
PO Box 708
Greenfield, IN 46140

Manufacturer's Emergency Phone:

1-800-428-4441

CHEMTREC:

1-800-424-9300 (North America)

1-703-527-3887 (International)

Common Name: Tylan Soluble

Chemical Name: Tylosin, (2R,3R)-2,3-dihydroxybutanedioate (salt)

Synonym(s): 027892 tartrate; Tylan soluble powder with lactose; Tylosin tartrate soluble; Tylan soluble with 1% glucose; Tylosin tartrate; Tylosin

Trademarks(s): Tylan

Lilly Item Code(s): AF1298; AF1300; AF1310; AF1317; AF1320; AH0670; PO378

See attached glossary for abbreviations.

Section 2 - Composition / Information on Ingredients

<u>Ingredient</u>	<u>CAS</u>	<u>Concentration %</u>
Tylosin Tartrate	1405-54-5	> 49

Exposure Guidelines: LEG <100 micrograms/m³ TWA for 12 hours.

Section 3 - Hazards Identification

Appearance: Light to medium yellow granular powder

Physical State: Solid

Odor: Odorless

Emergency Overview

Emergency Overview Effective Date: 15-Jan-1999

Lilly Laboratory Labeling Codes:

Health 2

Fire 1

Reactivity 0

Special A

Primary Physical and Health Hazards: Irritant (eyes). Severe Allergen.

Caution Statement: Tylan Soluble is tylosin tartrate, may be irritating to the eyes, and is classified as a severe allergen because repeated unprotected exposures are likely to cause allergic reactions.

Routes of Entry: Inhalation and skin contact.

Effects of Overexposure: Allergic reactions to tylosin in a manufacturing setting have been reported. Allergy symptoms may include skin rash, watery eyes, shortness of breath, nasal congestion, coughing, and wheezing. Based on animal data, may be irritating to the eyes.

Medical Conditions Aggravated by Exposure: Hypersensitivity to tylosin.

Carcinogenicity: Not listed by IARC, NTP, ACGIH, or OSHA. Tylosin was not considered carcinogenic in animal studies conducted by Lilly Research Laboratories.

Section 4 - First Aid Measures

Eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. See an ophthalmologist (eye doctor) or other physician immediately.

Skin: Remove contaminated clothing and clean before reuse. Wash all exposed areas of skin with plenty of soap and water. Get medical attention if irritation develops.

Inhalation: Move individual to fresh air. Get medical attention if breathing difficulty occurs. If not breathing, provide artificial respiration assistance (mouth-to-mouth) and call a physician immediately.

Ingestion: Do not induce vomiting. Call a physician or poison control center. If available, administer activated charcoal (6-8 heaping teaspoons) with two to three glasses of water. Do not give anything by mouth to an unconscious person. Immediately transport to a medical care facility and see a physician.

Section 5 - Fire Fighting Measures

Flash Point: No applicable information found

UEL: No applicable information found

LEL: No applicable information found

Minimum Ignition Temperature of Dust Layer: 380 C (716 F)

Extinguishing Media: Use water, carbon dioxide, dry chemical, foam, or Halon.

Unusual Fire and Explosion Hazards: As a finely divided material, may form dust mixtures in air which could explode if subjected to an ignition source.

Hazardous Combustion Products: May emit toxic fumes when exposed to heat or fire.

Section 6 - Accidental Release Measures

Spills: Wear protective equipment, including eye protection, to avoid exposure (see Section 8 for specific handling precautions). Large spills due to traffic accidents, etc., should be reported immediately to CHEMTREC and Elanco Animal Health for assistance. Prevent spilled material from flowing onto adjacent land or into streams, ponds, or lakes. Vacuum material with appropriate dust collection filter in place. Be aware of potential for dust explosion when using electrical equipment. If vacuum is not available, lightly mist material and remove by sweeping or wet wiping.

Section 7 - Handling and Storage

Storage Conditions: Store in a cool, dry place. Protect from moisture and heat. Product should not be used after the date printed on the container.

Section 8 - Exposure Controls / Personal Protection

See Section 2 for Exposure Guideline information.

When mixing and handling, use protective clothing, impervious gloves, and dust respirator. Operators should wash thoroughly with soap and water after handling. If accidental eye contact occurs, immediately rinse with plenty of water.

Respiratory Protection: Use an approved respirator.

Eye Protection: Chemical goggles and/or face shield.

Ventilation: Laboratory fume hood or local exhaust ventilation.

Other Protective Equipment: In a manufacturing setting, wear chemical-resistant gloves and body covering to minimize skin contact. If handled in a ventilated enclosure, as in a laboratory setting, respirator and goggles or face shield may not be required. Safety glasses are always required.

Additional Exposure Precautions: In production settings, airline-supplied, hood-type respirators are preferred. Shower and change clothing if skin contact occurs. Under normal use and handling conditions, wear goggles to protect eyes and wear impermeable gloves and protective equipment to avoid direct contact with skin. Wash thoroughly with soap and water after handling.

Section 9 - Physical and Chemical Properties

Appearance: Light to medium yellow granular powder

Odor: Odorless

Boiling Point: No applicable information found

Melting Point: 240 C (464 F)

Specific Gravity: No applicable information found

pH: 4.5 to 7.2 (aqueous 50/50)

Evaporation Rate: No applicable information found

Water Solubility: Soluble
Vapor Density: No applicable information found
Vapor Pressure: No applicable information found

Section 10 - Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Incompatibility: May react with strong oxidizing agents (e.g., peroxides, permanganates, nitric acid, etc.).

Hazardous Decomposition: May emit toxic fumes when heated to decomposition.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information

Acute Exposure

Oral: Rat, 6200 mg/kg, no deaths or toxicity.

Skin: Rabbit, 2000 mg/kg, no deaths or toxicity.

Inhalation: Rat, 600 mg/m³ for 1 hour, no deaths.

Skin Contact: Rabbit, slight irritant

Eye Contact: Rabbit, irritant

Chronic Exposure

The toxicity data for the material or related material(s) are presented.

Target Organ Effects: Tylosin base - No effects identified in animal studies.

Reproduction: Tylosin base - No effects identified in animal studies.

Sensitization: Tylosin base - Guinea pig, positive contact sensitizer.

Mutagenicity: Tylosin base - Mutagenic in one mammalian test system. Not mutagenic in bacterial cell tests and other mammalian cell tests. Unlikely to pose a genotoxic risk to man.

Section 12 - Ecological Information

The environmental data for the material or related material(s) are presented.

Ecotoxicity Data:

Tylosin base

Rainbow trout 96-hour median lethal concentration: > 300 mg/L

Bluegill 96-hour median lethal concentration: > 300 mg/L

Daphnia magna 48-hour median effective concentration: > 300 mg/L

Bobwhite 14-day oral median lethal concentration: > 2000 mg/kg

Bobwhite 5-day dietary median lethal concentration: > 5000 ppm

Mallard 5-day dietary median lethal concentration: > 5000 ppm

Earthworm 14-day median lethal concentration: > 102.6 mg/kg

Green algae (*P. subcapitata*) 72-hour median effective concentration (growth): 0.22 mg/L

Seedling median effective concentration (growth): 43 mg/kg (tomato); 53 mg/kg (soybean); 140 mg/kg (oat)

Environmental Fate:

Tylosin base

Water Solubility (g/L): 5

Kow (pH 5, 7, 9): 5, 17, 17

Koc: 200 (sandy loam, pH 4.6); 1652 (silt loam, pH 5.7); 2233 (sandy loam; pH 7.6)

UV-visible light absorption (nm): 282

Soil degradation half-life (100 ppm): 62 days (tylosin factor A); 37 days (tylosin factor D)

Soil degradation half-life (1 mg/kg; 4 soils): 50.3 to 105 days

Leaching in soil column: none

Environmental Summary:

Tylosin base - Practically nontoxic to fish, birds, earthworms, and aquatic invertebrates. Highly toxic to algae. No volatility expected. Not expected to bioconcentrate in aquatic organisms. Low mobility in soil. Not persistent in the environment due to degradation and possible photolysis.

Lilly Aquatic Exposure Guideline (LAEG):

Tylosin base

LAEG for Drinking Water: 36 micrograms/L

LAEG for Chronic Exposure of Aquatic Organisms: 99 micrograms/L

LAEG for Acute Exposure of Aquatic Organisms: 220 micrograms/L

Section 13 - Disposal Considerations

Waste Disposal: Dispose of any cleanup materials and waste residue according to all applicable laws and regulations.

Container Disposal: No special package disposal required.

Section 14 - Transport Information

Regulatory Organizations:

DOT: Not Regulated

IMO:

UN Number	:	3077
Description of the goods	:	Environmentally hazardous substance, solid, n.o.s.
Class	:	9
Packaging group	:	III
Labels	:	9
Marine pollutant	:	yes

Additional Information: This material is considered to be an Environmentally Hazardous Substance according to the criteria set forth in the European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR) and is regulated as a Hazard Class 9 (UN3077 or UN3082) when shipping under ADR.

Section 15 - Regulatory Information

Below is selected regulatory information chosen primarily for possible Elanco Animal Health usage. This section is not a complete analysis or reference to all applicable regulatory information. Please consider all applicable laws and regulations for your country/state.

U.S. Regulations

- TSCA - No
- CERCLA - Not on this list
- SARA 302 - Not on this list
- SARA 313 - Not on this list
- OSHA Substance Specific - No

NADA Number: 13-076

EU Regulations

EC Classification

- Xn (Harmful)
- Xi (Irritant)
- N (Dangerous for the Environment)

Risk Phrases

- R 36 - Irritating to eyes.
- R 42/43 - May cause sensitization by inhalation and skin contact.
- R 50 - Very toxic to aquatic organisms.

Safety Phrases

- S 25 - Avoid contact with eyes.
- S 26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S 36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Section 16 - Other Information

MSDS Sections Revised: Section 14

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS MATERIAL SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact:
ELANCO Animal Health
1-800-428-4441
1-317-276-2000

GLOSSARY:

ACGIH = American Conference of Governmental Industrial Hygienists
AIHA = American Industrial Hygiene Association
BEI = Biological Exposure Index
CAS Number = Chemical Abstract Service Registry Number
CERCLA = Comprehensive Environmental Response Compensation and Liability Act (of 1980)
CHAN = Chemical Hazard Alert Notice
CHEMTREC = Chemical Transportation Emergency Center
DOT = Department of Transportation
EC = European Community
EINECS = European Inventory of Existing Chemical Substances
ELINCS = European List of New Chemical Substances
EPA = Environmental Protection Agency
HEPA = High Efficiency Particulate Air (Filter)
IARC = International Agency for Research on Cancer
ICAO/IATA = International Civil Aviation Organization/International Air Transport Association
IEG = Lilly Interim Exposure Guideline
IMO = International Maritime Organization
Kow = Octanol/Water Partition Coefficient
LEG = Lilly Exposure Guideline
LEL = Lower Explosive Limit
MSDS = Material Safety Data Sheet
MSHA = Mine Safety and Health Administration
NA = Not Applicable, except in Section 14 where NA = North America
NADA = New Animal Drug Application
NAIF = No Applicable Information Found
NCI = National Cancer Institute
NIOSH = National Institute for Occupational Safety and Health
NOS = Not Otherwise Specified
NTP = National Toxicology Program
OSHA = Occupational Safety and Health Administration
PEL = Permissible Exposure Limit (OSHA)
RCRA = Resource Conservation and Recovery Act
RQ = Reportable Quantity
RTECS = Registry of Toxic Effects of Chemical Substances
SARA = Superfund Amendments and Reauthorization Act

STEG = Lilly Short Term Exposure Guideline
STEL = Short Term Exposure Limit
TLV = Threshold Limit Value (ACGIH)
TPQ = Threshold Planning Quantity
TSCA = Toxic Substances Control Act
TWA = Time Weighted Average/8 Hours Unless Otherwise Noted
UEL = Upper Explosive Limit
UN = United Nations
WEEL = Workplace Environmental Exposure Level (AIHA)



SAFETY DATA SHEET

1. Identification

Product identifier	Tylan Soluble
Other means of identification	
Item Code	AF1320, AH0670, AF1298, AF1310, AF1300, AF1317
Synonyms	Tylosin, (2R,3R)-2,3-dihydroxybutanedioate (salt)
Recommended use	Veterinary Pharmaceutical
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company Name	Elanco Animal Health 2500 Innovation Way Greenfield, IN 46140 US
Phone:	1-877-Elanco1 (1-877-352-6261)
Email:	lilly_msds@lilly.com
Emergency Telephone Numbers:	Elanco Product Technical Support / Human or Animal Exposure Reporting: 1-888-545-5973
Transportation Emergency Telephone:	CHEMTREC: 1-800-424-9300 (Outside U.S. 1-703-527-3887)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2B
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
OSHA defined hazards	Combustible dust	

Label elements



Signal word	Danger
Hazard statement	
H317	May form combustible dust concentrations in air.
H320	May cause an allergic skin reaction.
H334	Causes eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statement	
Prevention	
P261	Avoid breathing dust.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
P284	In case of inadequate ventilation wear respiratory protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313
P304 + P340
P342 + P311

If eye irritation persists: Get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Storage

Not available.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Tylosin Tartrate	Tylosin, (2R,3R)-2,3-dihydroxybutanedioate (salt) LSN 029510	1405-54-5	100

4. First-aid measures

Inhalation

Move to fresh air. Oxygen or artificial respiration if needed. Get medical attention immediately.

Skin contact

Immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion

Immediately give large quantities of water to drink. Never give liquid to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms/effects, acute and delayed

May cause allergic skin reaction. May cause allergic respiratory reaction. Eye irritation. Rash. Wheezing. Coughing.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Hazardous decomposition products formed under fire conditions.

Special protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective clothing.

General fire hazards

Dust may form explosive mixture with air.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Collect dust using a vacuum cleaner equipped with HEPA filter. Be aware of potential for dust explosion when using electrical equipment. If vacuum is not available, lightly mist/wet material and remove by mopping or wet wiping. Wear appropriate protective equipment and clothing during clean-up.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Keep formation of airborne dusts to a minimum. Avoid contact with eyes, skin, and clothing. Do not breathe dust. Use only with adequate ventilation. Wear personal protective equipment. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	LEG = Lilly Exposure Guideline 12 hour TWA <100 ug/m3 (Tylosin Tartrate)
Appropriate engineering controls	Open handling is not recommended. Use appropriate control measures such as fume hood, ventilated enclosure, local exhaust ventilation, or down-draft booth.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Chemical resistant gloves.
Other	Chemical-resistant gloves and impermeable body covering to minimize skin contact.
Respiratory protection	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the respirator. Select appropriate respirator for physical characteristics of material. Select respirator with appropriate protection factor.
Thermal hazards	Not available.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Powder.
Physical state	Solid.
Form	Powder.
Color	Yellow
Odor	Odorless
Odor threshold	No data available
pH	4.5 - 7.2 (50% aqueous solution)
Melting point/freezing point	464 °F (240 °C)
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No test data available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	No data available.
Flammability limit - upper (%)	No data available.
Explosive limit - lower (%)	No data available.
Explosive limit - upper (%)	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	No data available.
Solubility(ies)	
Solubility (water)	5 g/l
Partition coefficient (n-octanol/water)	17.000 (pH 7)

Material name: Tylan Soluble

5220 Version #: 03 Revision date: 06-27-2016 Issue date: 04-21-2014

SDS US

3 / 8

	17.000 (pH 9)
	5.000 (pH 5)
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Other information	
Density	No data available.
Explosive properties	Not explosive
Oxidizing properties	No oxidizing properties.
Potential for dust explosion	No data available.

10. Stability and reactivity

Reactivity	Not water reactive.
Chemical stability	This material should not be packaged or stored above the following temperature: 95 °C. This temperature is based on a laboratory test (ARC) and assumes near atmospheric pressures and quantities of less than 500 kg (1100 lb) or 208 L (55 gal). For additional information contact the Chemical Hazards Laboratory.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
Tylosin Tartrate (CAS 1405-54-5)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 600 mg/m ³ , 1 h
Oral		
LD50	Rat	> 6200 mg/kg

Skin corrosion/irritation Rabbit: Slight irritation.
Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Rabbit: Irritating. (cleared within 7 days)

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Allergic reactions in a manufacturing setting have been reported. Allergy symptoms may include skin rash, watery eyes, shortness of breath, nasal congestion, coughing, and wheezing.

Skin sensitization Guinea pig: Causes sensitization. (as free base)

Germ cell mutagenicity Mutagenic in one mammalian test system. Not mutagenic in bacterial cell tests and other mammalian cell tests. Unlikely to pose a genotoxic risk to man. (as free base)
Based on available data, the classification criteria are not met.

Carcinogenicity Animal testing did not show any carcinogenic effects. (as free base)

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity	Animal testing did not show any effects on fertility. Animal testing did not show any effects on foetal development. (as free base)
Specific target organ toxicity - single exposure	This information is not available.
Specific target organ toxicity - repeated exposure	No significant target organ toxicity reported.
Aspiration hazard	No aspiration toxicity classification

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components	Species	Test Results	
Tylosin Tartrate (CAS 1405-54-5)			
	EC50	Oats (Seedling)	140 mg/kg (Growth, as free base)
		Soybean (Seedling)	53 mg/kg (Growth, as free base)
		Tomato (Seedling)	43 mg/kg (Growth, as free base)
<i>Acute</i>	LC50	Duck (Mallard duck)	> 5000 mg/kg, 5 days (dietary, as free base)
		Quail (Bobwhite quail)	> 5000 mg/kg, 5 days (dietary, as free base)
Other	EC50	Pseudokirchnerella subcapitata	0.22 mg/l (average specific growth rate) (as free base)
<i>Chronic</i>	LC50	Earthworms (Eisenia fetida)	> 102.6 mg/kg, 14 days
		Quail (Bobwhite quail)	> 2000 mg/kg, 14 days
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 300 mg/l (as free base)
Fish	LC50	Bluegill (Lepomis macrochirus)	> 300 mg/l (as free base)
		Rainbow Trout	> 300 mg/l (as free base)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Tylosin Tartrate	17, (pH 7)
	17, (pH 9)
	5, (pH 5)

Mobility in soil Soil degradation half-life (100 ppm): 62 days (tylosin factor A); 37 days (tylosin factor D)
Soil degradation half-life (1 mg/kg; 4 soils): 50.3 to 105 days
Leaching in soil column: none

Adsorption

Soil/sediment sorption - log Koc

Tylosin Tartrate	1652 Silt Loom (pH 5.7)
	200 Sandy Loom (pH 4.6)
	2233 Sandy Loom (pH 7.6)

Other adverse effects Not available.

Ecotoxicological Properties

Drinking Water

Components	Test Results
Tylosin Tartrate	36 µg/l, (Lilly Aquatic Exposure Guideline)

Chronic Exposure of Aquatic Organisms

Components

Tylosin Tartrate

Test Results

99 µg/l, (Lilly Aquatic Exposure Guideline)

Acute Exposure of Aquatic Organisms

Components

Tylosin Tartrate

Test Results

220 µg/l, (Lilly Aquatic Exposure Guideline)

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not allow this material to drain into sewers/water supplies.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

General information	Effective January 1, 2015 by Special Provision, UN3077 and UN3082 when packaged in inner packages of 5L / 5 KG or less are not subject to the dangerous goods regulations.
----------------------------	--

DOT

Not regulated as dangerous goods.

IATA

UN number	UN3077
UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (Tylosin Tartrate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Not available.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.


IMDG

UN number	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tylosin Tartrate)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.

IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-21-2014

Revision date 06-27-2016

Version # 03

Lilly Lab Code Health: 2
Fire: 1
Reactivity: 1
Special 1: A

List of abbreviations TWA: Time Weighted Average.
LEG: Lilly Exposure Guideline

Disclaimer As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS MATERIAL SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact:
Elanco Animal Health
0011+1-877-352-6261
0011+1-800-428-4441

Revision information This document has undergone significant changes and should be reviewed in its entirety.