

SAFETY DATA SHEETS

This SDS packet was issued with item:

078904596

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078904597 078910681



Merck Animal Health
One Merck Dr.
Whitehouse Station, NJ 08889

MATERIAL SAFETY DATA SHEET

Merck Animal Health urges each user or recipient of this MSDS to read the entire data sheet to become aware of the hazards associated with this material.

SECTION 1. IDENTIFICATION OF SUBSTANCE AND CONTACT INFORMATION

MSDS NAME: ZUPREVO

SYNONYM(S): ZUPREVO

MSDS NUMBER: SP002663

EMERGENCY NUMBER(S): (908) 423-6000 (24/7/365) English Only

Rocky Mountain Poison Center (For Human Exposure):
(303) 595-4869

Animal Health Technical Services:
For Animal Adverse Events: Small Animals and Horses: (800) 224-5318
For Animal Adverse Events: Livestock: (800) 211-3573
For Animal Adverse Events: Poultry: (800) 219-9286

Transportation Emergencies - CHEMTREC:
(800) 424-9300 (Inside Continental USA)
(703) 527-3887 (Outside Continental USA)

INFORMATION: Animal Health Technical Services:
For Small Animals and Horses: (800) 224-5318
For Livestock: (800) 211-3573
For Poultry: (800) 219-9286

MERCK MSDS HELPLINE: (800) 770-8878 (US and Canada)
(908) 473-3371 (Worldwide)
Monday to Friday, 9am to 5pm (US Eastern Time)

The brand-names or trademarks indicated by CAPITAL LETTERS in this MSDS are the property of, licensed to, promoted or distributed by Merck, its subsidiaries or related companies.

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Liquid
Color not reported
Odor unknown
May be irritating to skin and eyes.
May cause sensitization by skin contact.
May be harmful with prolonged or repeated exposure.
Possible risk of impaired fertility.

POTENTIAL HEALTH EFFECTS:

The toxicological properties of the mixture(s) have not been fully characterized in humans or animals. However, there are data to describe the toxicological properties of the individual ingredients. The following summary is based upon available information about the individual ingredients of the mixture(s), or of the expected properties of the mixture(s).

Tildipirosin, the active ingredient in this product, may cause sensitization by skin contact, may be harmful by prolonged exposure if swallowed, and may pose a possible risk of impaired fertility.

Propylene glycol is considered to be relatively non-toxic. It is a mild irritant to the eyes and has been reported to irritate the skin. It may cause skin sensitization resulting in allergic contact dermatitis in susceptible individuals. Inhalation exposure to saturated and supersaturated atmospheres of propylene glycol for prolonged periods of time produced no adverse effects. Propylene glycol may cause nervous system depression, acidosis, stupor, and seizures after chronic ingestion.

LISTED CARCINOGENS

No carcinogens or potential carcinogens listed by OSHA, IARC, NTP or ACGIH are present in concentrations >0.1% in this mixture.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

PRODUCT USE: Veterinary product

CHEMICAL FORMULA: Mixture.

The formulation for this product is proprietary information. Only hazardous ingredients in concentrations of 1% or greater and/or carcinogenic ingredients in concentrations of 0.1% or greater are listed in the Chemical Composition table. Active ingredients in any concentration are listed. For additional information about carcinogenic ingredients see Section 2.

CHEMICAL COMPOSITION

INGREDIENT	CAS NUMBER	PERCENT
Tildipirosin	328898-40-4	18
Propylene Glycol	57-55-6	40-50

ADDITIONAL INFORMATION: This MSDS is written to provide health and safety information for individuals who will be handling the final product formulation during research, manufacturing, and distribution. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate MSDS for each ingredient. Refer to the package insert or product label for handling guidance for the consumer.

SECTION 4. FIRST AID MEASURES

INHALATION: Remove to fresh air. If any trouble breathing, get immediate medical attention. Administer artificial respiration if breathing has ceased. If irritation or symptoms occur or persist, consult a physician.

SKIN CONTACT: In case of skin contact, while wearing protective gloves, carefully remove any contaminated clothing, including shoes, and wash skin thoroughly with soap and water. If irritation or symptoms occur or persist, consult a physician.

EYE CONTACT: In case of eye contact, immediately rinse eyes thoroughly with plenty of water. If wearing contact lenses, remove only after initial rinse, and continue rinsing eyes for at least 15 minutes. If irritation occurs or persists, consult a physician.

INGESTION: Rinse mouth and drink a glass of water. Do not induce vomiting unless under the direction of a qualified medical professional or Poison Control Center. If symptoms persist, consult a physician.

SECTION 5. FIRE FIGHTING MEASURES

FLAMMABILITY DATA:

Flash Point: Not determined (liquids) or not applicable (solids).

SPECIAL FIRE HAZARDS:
Emits toxic fumes under fire conditions.

SPECIAL FIRE FIGHTING PROCEDURES:
Wear full protective clothing and self-contained breathing apparatus (SCBA).

SUITABLE EXTINGUISHING MEDIA:
Carbon dioxide (CO₂), extinguishing powder or water spray.

See Section 9 for Physical and Chemical Properties.

MSDS NAME: ZUPREVO

MSDS NUMBER: SP002663

Latest Revision Date: 11-Jul-2012

Page 2 of 6

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Wear appropriate personal protective equipment as specified in Section 8. Keep personnel away from the clean-up area.

SPILL RESPONSE / CLEANUP:

All spills should be handled according to site requirements and based on precautions cited in the MSDS. In the case of liquids, use proper absorbent materials. For laboratories and small-scale operations, incidental spills within a hood or enclosure should be cleaned by using a HEPA filtered vacuum or wet cleaning methods as appropriate. For large dry or liquid spills or those spills outside enclosure or hood, appropriate emergency response personnel should be notified. In manufacturing and large-scale operations, HEPA vacuuming prior to wet mopping or cleaning is required.

See Sections 9 and 10 for additional physical, chemical, and hazard information.

SECTION 7. HANDLING AND STORAGE

HANDLING:

Keep containers adequately sealed during material transfer, transport, or when not in use. Wash face, hands, and any exposed skin after handling. Do not eat, drink, or smoke when using this substance or mixture.

Appropriate handling of this material is dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. See Section 8 (Exposure Controls) for additional guidance.

STORAGE:

Keep in closed tight containers. Store in a cool, dry, well ventilated area. Store out of direct sunlight.

See Section 8 for exposure controls and additional safe handling information.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following guidance applies to the handling of the active ingredient(s) in this formulation. The end-user should perform an appropriate risk assessment when handling other forms or formulations of this active ingredient.

OCCUPATIONAL EXPOSURE BAND (OEB):

OEB 1: >1000 mcg/m³. Materials in an OEB 1 category are considered to be relatively non-hazardous. The OEB is a range of airborne concentrations expressed as an 8-hour Time Weighted Average (8-hr. TWA) and is intended to be used with Industrial Hygiene Risk Assessment to assist with industrial hygiene sampling and selection of proper controls for worker protection. Consult your site safety and industrial hygiene staff for guidance on handling and control strategies..

EXPOSURE CONTROLS

The health hazard risks of handling this material are dependent on many factors, including physical form, duration and frequency of process or task, and effectiveness of engineering controls. Site-specific risk assessments should be conducted to determine the feasibility and the appropriateness of all exposure control measures. Exposure controls for normal operating or routine procedures follow a tiered strategy. Engineering controls are the preferred means of long-term or permanent exposure control. If engineering controls are not feasible, appropriate use of personal protective equipment (PPE) may be considered as alternative control measures. Exposure controls for non-routine operations must be evaluated and addressed as part of the site-specific risk assessment.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT (PPE):

Respiratory Protection:	Respiratory protective equipment (RPE) may be required for certain laboratory and large-scale manufacturing tasks if potential airborne breathing zone concentrations of substances exceed the relevant exposure limit(s). Workplace risk assessment should be completed before specifying and implementing RPE usage. Potential exposure points and pathways, task duration and frequency, potential employee contact with the substance, and the ability of the substance to be rendered airborne during specific tasks should be evaluated. Initial and ongoing strategies of quantitative exposure measurement should be obtained as required by the workplace risk assessment. All RPE must conform to local and regional specifications for efficacy and performance. Consult your site or corporate health and safety professional for additional guidance.
Skin Protection:	Gloves that provide an appropriate barrier to the skin are recommended if there is potential for contact with this material. Consult your site safety staff for guidance.
Eye Protection:	Safety glasses with side shields. Use of goggles or full face protection may be required based on hazard, potential for contact, or level of exposure. Consult your site safety staff for guidance.

Body Protection:

In small-scale or laboratory operations, lab coats or equivalent protection is required. Disposable Tyvek or other dust impermeable suit should be considered based on procedure or level of exposure. Use of additional PPE such as shoe coverings, gauntlets, hood, or head covering may be necessary. Consult your site safety staff for guidance.

In large-scale or manufacturing operations, disposable Tyvek or other dust impermeable suit is recommended and based on level of exposure. Use of additional PPE such as shoe coverings, gauntlets, hood, or head covering may be necessary. Consult your site safety staff for guidance.

EXPOSURE LIMIT VALUES

See Internal Occupational Exposure Limit listed above.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM:	Liquid
COLOR:	Color not reported
ODOR:	Odor unknown
SOLUBILITY:	
Water:	Soluble

See Section 5 for flammability/explosivity information.

SECTION 10. STABILITY AND REACTIVITY

STABILITY/ REACTIVITY:
Stable under normal conditions.

INCOMPATIBLE MATERIALS / CONDITIONS TO AVOID:
Heat.

HAZARDOUS DECOMPOSITION PRODUCTS / REACTIONS:
No dangerous decomposition is expected if used according to manufacturer's specifications.

SECTION 11. TOXICOLOGICAL INFORMATION

The information presented below pertains to the following individual ingredients, and not to the mixture(s).

ACUTE TOXICITY DATA

INHALATION:
Propylene glycol caused no adverse effects in monkeys or rats following exposure to saturated atmospheres for prolonged periods of time.

SKIN:
Tildipirosin was not irritating to the skin of rabbits upon 4 hour exposure, OECD Test Guideline 404.

Propylene glycol: Dermal LD50: 20.8 g/kg (rabbit)
Propylene glycol was irritating in a human patch test. Propylene glycol was not irritating to the skin of rabbits, guinea pigs and swine.

EYE:
Tildipirosin was mildly irritating to rabbit eyes in 24 hour exposure, OECD Test Guideline 405.

Propylene glycol was slightly irritating to the eyes of rabbits.

ORAL:
Tildipirosin: Oral LD50: >2000 mg/kg (rat)

Propylene glycol: Oral LD50: 21 to 33.7 g/kg (rat), 10 to 20 g/kg (dog)
Propylene glycol caused dyspnea, cramps, loss of equilibrium, depression, analgesia, and death after prolonged moribund state in mice at doses ranging from 23.9 to 31.8 g/kg. In rabbits, 1 to 1.5 g/kg propylene glycol reduced intraocular pressure by raising the osmotic pressure of blood.

DERMAL AND RESPIRATORY SENSITIZATION:
Tildipirosin was sensitizing to guinea pig skin in a Maximization Test, OECD Test Guideline 406.

Propylene glycol did not cause sensitization in a human patch test.

REPEAT DOSE TOXICITY DATA

MSDS NAME: ZUPREVO

MSDS NUMBER: SP002663

Latest Revision Date: 11-Jul-2012

Page 4 of 6

SUBCHRONIC / CHRONIC TOXICITY:

In 28 day oral toxicity studies on Tildipirosin, the NOEL was 25 mg/kg in rats and 20 mg/kg in dogs. In 90 day oral toxicity studies, the NOEL was 20 mg/kg in rats and 6 mg/kg in dogs. In a 55 week oral toxicity study in dogs, the NOEL was 10 mg/kg. In piglets intramuscular administration (3 times in 4 days) at doses of 8, 12, and 20 mg/kg resulted in subdued behaviors, tremors, incoordination and shock. Mortality was observed at dose of \geq 25 mg/kg.

Propylene glycol caused no adverse effects in monkeys or rats exposed to saturated vapor concentrations for 12 to 18 months. Rats exposed to 25 or 50% (7.7 and 13.2 g/kg/day) propylene glycol in water died within 69 days in a 140 day study. In a separate study, a diet of 30% propylene glycol was not well tolerated in young rats, and dams could not bring their young to weaning; diets containing 40, 50, or 60% propylene glycol were lethal after a few days.

REPRODUCTIVE / DEVELOPMENTAL TOXICITY:

Experiments with Tildipirosin have shown no reproductive toxicity on laboratory animals. No effects on fetal development were seen.

Propylene glycol caused decreased food consumption, retarded growth, smaller litters, changes in breeding patterns, and inhibited weaning in rats that were fed 30% propylene glycol through six generations; however, this may have been due to nutritional insufficiency. Propylene glycol was not teratogenic in rabbits, monkeys or chickens.

MUTAGENICITY / GENOTOXICITY:

Tildipirosin was negative in an Ames Test with salmonella typhimurium and escherichia coli; negative in a gene mutation study in mouse lymphoma cells; and negative in a chromosome aberration test in vitro in human lymphocytes. Tildipirosin was also negative in an oral route mouse micronucleus test in vivo.

Propylene glycol was negative in a bacterial mutagenicity study (Ames).

CARCINOGENICITY:

Propylene glycol was not carcinogenic when applied to the skin, or when given orally in mice and rats.

SECTION 12. ECOLOGICAL INFORMATION**ECOTOXICITY DATA**

There are no ecotoxicity data available for this product or its components.

ENVIRONMENTAL DATA

There are no environmental data available for this product or its components.

SECTION 13. DISPOSAL CONSIDERATIONS**MATERIAL WASTE:**

Disposal must be in accordance with applicable federal, state/provincial, and/or local regulations. Incineration is the preferred method of disposal, when appropriate. Operations that involve the crushing or shredding of waste materials or returned goods must be handled to meet the recommended exposure limit(s).

PACKAGING AND CONTAINERS:

Disposal must be in accordance with applicable federal, state/provincial, and/or local regulations.

SECTION 14. TRANSPORT INFORMATION

This material is not subject to the transportation regulations of DOT, IATA, IMO, and the ADR.

SECTION 15. REGULATORY INFORMATION**TSCA LISTING**

INGREDIENT	TSCA
Propylene Glycol	X

Substances not included in the table above are TSCA exempt or not regulated under TSCA.

U.S. STATE REGULATIONS

INGREDIENT	California Proposition 65	CARTK	NJRTK	CTR TK	MARTK
Propylene Glycol			3595		

MSDS NAME: ZUPREVO

MSDS NUMBER: SP002663

Latest Revision Date: 11-Jul-2012

Page 5 of 6

INGREDIENT	PARTK	MNRTK	MIRTK	RIRTK
Propylene Glycol	X	X		X

Fields in the above tables that do not contain data indicate that those materials have not been listed by local regulations.

X: Listed on applicable state hazardous substance or right-to-know lists.

SECTION 16. OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The brand-names or trademarks indicated by CAPITAL LETTERS in this MSDS are the property of, licensed to, promoted or distributed by Merck, its subsidiaries or related companies.

DEPARTMENT ISSUING MSDS:

Global Safety & the Environment
Merck & Co., Inc.
One Merck Drive
Whitehouse Station, NJ 08889

MERCK MSDS HELPLINE:

(800) 770-8878 (US and Canada)
(908) 473-3371 (Worldwide)
Monday to Friday, 9am to 5pm (US Eastern Time)

MSDS CREATION DATE:

11-Jul-2012

SECTIONS CHANGED (US SUBFORMAT):

2, 8, 11, 14

SIGNIFICANT CHANGES (US SUBFORMAT):

Hazard classification, OEB, Toxicology data

MSDS NAME: ZUPREVO

MSDS NUMBER: SP002663

Latest Revision Date: 11-Jul-2012

Page 6 of 6

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

SECTION 1. IDENTIFICATION

Product name : Tildipirosin (18%) Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : 2000 Galloping Hill Road
Kenilworth - New Jersey - USA 1685

Telephone : 908-740-4000

Telefax : 908-735-1496

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ
systemic toxicity - repeated
exposure : Category 2 (Heart, Cardio-vascular system, Nervous system,
eye - retina, Thyroid, thymus, spleen, Pancreas)

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.
H373 May cause damage to organs (Heart, Cardio-vascular
system, Nervous system, eye - retina, Thyroid, thymus, spleen,
Pancreas) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read
and understood.

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

P260 Do not breathe mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	>= 30 - < 50
Tildipirosin	328898-40-4	>= 10 - < 20
Citric acid monohydrate	5949-29-1	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water.

Tildipirosin (18%) Formulation

Version 4.3 Revision Date: 06/12/2017 SDS Number: 25261-00012 Date of last issue: 04/28/2017
Date of first issue: 10/24/2014

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid inhalation of vapor or mist.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
Tildipirosin	328898-40-4	TWA	100 µg/m ³ (OEB 2)	Merck
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Merck

Hazardous components without workplace control parameters

Tildipirosin (18%) Formulation

Version 4.3 Revision Date: 06/12/2017 SDS Number: 25261-00012 Date of last issue: 04/28/2017
Date of first issue: 10/24/2014

Ingredients	CAS-No.
Citric acid monohydrate	5949-29-1

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Color : No data available

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Odor	:	No information available.
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:**Propylene glycol:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rabbit): > 159 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Tildipirosin:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg LD50 (Mouse): > 2,000 mg/kg
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Mouse): 6.25 - 12.5 mg/kg Application Route: Intravenous

Citric acid monohydrate:

Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg
---------------------	---	---------------------------

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Ingredients:**Propylene glycol:**

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Tildipirosin:

Species: Rabbit
Result: No skin irritation

Citric acid monohydrate:

Species: Rabbit
Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:**Propylene glycol:**

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

Tildipirosin:

Species: Rabbit
Result: No eye irritation

Citric acid monohydrate:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Ingredients:**Propylene glycol:**

Test Type: Maximization Test
Routes of exposure: Skin contact
Species: Guinea pig
Result: negative

Tildipirosin:

Test Type: Maximization Test
Routes of exposure: Dermal
Species: Guinea pig
Result: Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Tildipirosin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

: Test Type: Chromosomal aberration
Species: Human lymphocytes
Metabolic activation: with and without metabolic activation
Result: negative

: Test Type: In vitro mammalian cell gene mutation test
Species: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Citric acid monohydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

	: Test Type: in vitro micronucleus test Result: positive
	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:**Propylene glycol:**

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility.

Ingredients:**Propylene glycol:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---

Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative
------------------------------	---

Tildipirosin:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat
----------------------	---

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Application Route: Oral
General Toxicity F1: LOAEL: 80 mg/kg body weight
Symptoms: Effects on F1 offspring.
Result: Effects on reproduction parameters.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, females
Embryo-fetal toxicity.: NOAEL: 30 mg/kg body weight
Symptoms: Reduced body weight
Result: No teratogenic potential.
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-fetal development
Species: Rat, female
Embryo-fetal toxicity.: NOAEL: 30 mg/kg body weight
Symptoms: Reduced body weight
Result: No teratogenic potential.
Remarks: The effects were seen only at maternally toxic doses.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Citric acid monohydrate:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Heart, Cardio-vascular system, Nervous system, eye - retina, Thyroid, thymus, spleen, Pancreas) through prolonged or repeated exposure.

Ingredients:**Tildipirosin:**

Target Organs: Heart, Cardio-vascular system, Nervous system, eye - retina, Thyroid, thymus, spleen, Pancreas
Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Ingredients:****Propylene glycol:**

Species: Rat, male
NOAEL: 1,700 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Tildipirosin:

Species: Rat
NOAEL: 20 mg/kg
LOAEL: 60 mg/kg
Application Route: Oral
Exposure time: 90 d
Target Organs: spleen, thymus
Symptoms: Salivation

Species: Dog
LOAEL: 20 mg/kg
Application Route: Oral
Exposure time: 28 d
Target Organs: Heart, Central nervous system, Blood
Symptoms: Tremors

Species: Dog
NOAEL: 6 mg/kg
Application Route: Oral
Exposure time: 90 d
Target Organs: Heart, Cardio-vascular system
Symptoms: Irritability

Species: Dog
NOAEL: 10 mg/kg
LOAEL: 50 mg/kg
Application Route: Oral
Exposure time: 55 Weeks
Target Organs: Nervous system, eye - retina, Heart, Thyroid, spleen, thymus, Pancreas

Citric acid monohydrate:

Species: Rat
NOAEL: 4,000 mg/kg
LOAEL: 8,000 mg/kg
Application Route: Ingestion
Exposure time: 10 d

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Ingredients:****Tildipirosin:**

General Information : No human information is available.

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Propylene glycol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Tildipirosin:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 138 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 32 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.12 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.047 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 0.027 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 0.00011 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	10

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to microorganisms : EC50: 112.4 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 0.23 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Citric acid monohydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h

Persistence and degradability**Ingredients:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Tildipirosin:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 14.7 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Citric acid monohydrate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential**Ingredients:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

Citric acid monohydrate:

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Partition coefficient: n-octanol/water : log Pow: -1.72

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tildipirosin)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Tildipirosin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tildipirosin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Tildipirosin)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Tildipirosin)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters., Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute Health Hazard Chronic Health Hazard
-----------------------------	---	--

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

US State Regulations**Pennsylvania Right To Know**

Propylene glycol	57-55-6
Water	7732-18-5
Tildipirosin	328898-40-4
Citric acid monohydrate	5949-29-1

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
------	---	----------------

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA	:	8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

Tildipirosin (18%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/28/2017
4.3	06/12/2017	25261-00012	Date of first issue: 10/24/2014

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/12/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8