

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078928035

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078944896



# SAFETY DATA SHEET

Issue Date 31-May-2017

Revision Date 27-Mar-2018

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Vet-Kem Fogger

### Other means of identification

**Product Code** PRN FP 100526871

**EPA Pesticide Registration Number** 2724-454-92895

**Product Size** 3 x 3oz. cans

### Recommended use of the chemical and restrictions on use

**Recommended Use** Kills adult fleas, hatching flea eggs, and ticks.

**Uses advised against** No information available.

### Details of the supplier of the safety data sheet

<b>Manufacturer</b>	<b>Company Name</b>
Wellmark International	PRN Pharmacal
1501 E. Woodfield Road, Suite 200 West	8809 Ely Road
Schaumburg, IL 60173	Pensacola, FL 32514

### Emergency telephone number

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Aspiration Toxicity	Category 1
Flammable Aerosols	Category 2
Gases under pressure	Compressed gas

### Label elements

### Emergency Overview

#### Danger

#### Hazard statements

Flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Contains gas under pressure; may explode if heated.



**Appearance** Fine white mist aerosol

**Physical State @20°C** Aerosol

**Odor** No information available

**Precautionary Statements - Prevention**

- Avoid breathing dust/fume/gas/mist/vapors/spray
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Pressurized container: Do not pierce or burn, even after use
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Do not spray on an open flame or other ignition source

**Precautionary Statements - Response**

- Call a POISON CENTER or doctor/physician if you feel unwell
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting

**Precautionary Statements - Storage**

- Store locked up
- Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
- Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Hazards not otherwise classified (HNOC)**

Toxic to aquatic life

**Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS. Number	Weight %
Propane	74-98-6	17.71
N-Butane	106-97-8	17.29
Petroleum distillates, hydrotreated light	64742-47-8	10
Permethrin	52645-53-1	0.58
S-Methoprene	65733-16-6	0.09

\* The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES****First aid measures****General advice**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Call a physician immediately.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Move to fresh air in case of accidental inhalation of vapors or decomposition products. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.

**Self-protection of the first aider** Remove all sources of ignition. Use personal protective equipment as required.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Aspiration hazard. Vapors may cause drowsiness and dizziness. Causes skin irritation. Causes serious eye irritation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Contains petroleum distillate - vomiting may cause aspiration pneumonia. Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray (fog). Alcohol resistant foam.

**Specific hazards arising from the chemical**

Carbon dioxide (CO<sub>2</sub>). Carbon Monoxide (CO).

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

In the event of fire and/or explosion do not breathe fumes. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Do not expose to temperatures above 130 °F, may cause bursting. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

All equipment used when handling the product must be grounded. Use with local exhaust ventilation. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Store locked up. Keep away from heat, sparks and open flame. Do not store above 130°F. Keep out of the reach of children.

**Incompatible materials** OXIDIZERS. Keep away from heat, sparks and open flame.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear long-sleeved shirt, long pants, socks and shoes. Chemical resistant gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State @20°C</b>	Aerosol	<b>Odor</b>	No information available
<b>Appearance</b>	Fine white mist aerosol	<b>Odor threshold</b>	No information available
<b>Color</b>	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		
Melting point/freezing point	No information available	
Boiling point / boiling range	No information available	

Flash point	No information available
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Oxidizing properties	No information available

**Other Information**

Density VALUE No information available

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Heat, flames and sparks. Do not expose to temperatures above 130 °F, may cause bursting.

**Incompatible materials**

OXIDIZERS. Keep away from heat, sparks and open flame.

**Hazardous Decomposition Products**

Carbon Monoxide (CO) and Carbon Dioxide (CO<sub>2</sub>) may be produced.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

**Inhalation** May cause drowsiness or dizziness.

**Eye contact** Irritating to eyes.

**Skin Contact** Causes skin irritation.

**Ingestion** Aspiration hazard. May be fatal if swallowed and enters airways.

Chemical Name	LD50 Oral VALUE (mg/kg)	LD50 Dermal VALUE	LC50 Inhalation (DUST) VALUE
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
Permethrin	= 220 mg/kg ( Rat ) = 383 mg/kg (	> 5000 mg/kg ( Rat ) = 1750 mg/kg	> 0.69 mg/L ( Rat ) 4 h

52645-53-1	Rat )	( Rat ) > 2 g/kg ( Rabbit )	
------------	-------	-----------------------------	--

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
Permethrin 52645-53-1		Group 3		

*IARC (International Agency for Research on Cancer)*

*Not classifiable as a human carcinogen*

**Reproductive toxicity** No information available.

**STOT - single exposure** Exposure 3. Narcotic effects.

**STOT - repeated exposure** No information available.

**Chronic toxicity** Avoid repeated exposure.

**Target Organ Effects** Central nervous system.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Numerical measures of toxicity - Product Information**

**Unknown Toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity

**LD50 Oral VALUE (mg/kg)** 500 mg/kg (rat)

**LD50 Dermal VALUE** > 2000 mg/kg (rabbit)

**LC50 Inhalation (DUST) VALUE** 2.65 mg/L (rat)

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

35% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through		4720: 96 h Den-dronereides heteropoda mg/L LC50
Permethrin 52645-53-1		0.008 - 0.03: 96 h Pimephales promelas mg/L LC50 flow-through 0.001 - 0.009: 96 h Pimephales promelas mg/L LC50 static 0.015: 96 h Cyprinus carpio mg/L LC50 flow-through 0.0052 - 0.0077: 96 h Cyprinus carpio mg/L LC50 0.00079: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.0108: 96 h Lepomis macrochirus mg/L LC50 0.00188 - 0.00336: 96 h Lepomis macrochirus mg/L LC50 static 0.00049 - 0.00097: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.0017 - 0.0048: 96 h Oncorhynchus mykiss mg/L LC50 static		

S-Methoprene 65733-16-6		96 Hour(s) LC50 Rainbow Trout 0.76mg/L [Acute] 96 Hour(s) LC50 Bluegill >0.37 mg/L [Acute] NOEC Fathead Minnow 0.048 mg/L [Chronic]		NOEC Mysid shrimp 0.014mg/L [Chronic] 48 hour(s) LC50 Daphania 0.36 mg/L [Acute]
----------------------------	--	---	--	--

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container, unless specified by the manufacturer.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Permethrin 52645-53-1	Toxic

### 14. TRANSPORT INFORMATION

**DOT****Description**

The following guidelines apply for domestic ground transport. If shipping by air or ocean, please contact our Transportation Dept.

UN1950, Aerosols, flammable, (each not exceeding 1 L capacity), 2.1

### 15. REGULATORY INFORMATION

**U.S. EPA Label Information****EPA Pesticide Registration Number** 2724-454-92895**Federal Insecticide, Fungicide, Rodenticide Act Regulations**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label**

CAUTION. Keep out of reach of children.

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS. Harmful is absorbed through skin. Avoid contact with skin, eyes, or clothing. Breathing spray mist may be harmful. Applicators and other handlers must wear: long sleeve shirt and long pants, shoes plus socks, and chemical resistant gloves (barrier laminate or butyl rubber = 14 mils). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using toilet. Remove and wash contaminated clothing before reuse. If pet is exposed to wet surface, wash fur with soap and water.

PHYSICAL OR CHEMICAL HAZARDS: Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.



**International Inventories**

<b>TSCA</b>	Not Listed
<b>DSL/NDSL</b>	Not Listed
<b>EINECS/ELINCS</b>	Not Listed
<b>ENCS</b>	Not Listed
<b>IECSC</b>	Not Listed
<b>KECL</b>	Not Listed
<b>PICCS</b>	Not Listed
<b>AICS</b>	Listed

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Propane	X	X		X		X	X	X	X	X
N-Butane	X	X		X		X	X	X	X	X
Petroleum distillates, hydrotreated light	X	X		X			X	X	X	X
Permethrin				X		X	X	X	X	X
S-Methoprene										X

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Permethrin - 52645-53-1	1.0

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	Yes
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane 74-98-6	X	X	X
N-Butane 106-97-8	X	X	X
Permethrin 52645-53-1	X	X	

**International Regulations****Mexico - Grade**

Moderate risk, Grade 2

Chemical Name	Carcinogenicity	Exposure Limits
N-Butane		Mexico: TWA 800 ppm Mexico: TWA 1900 mg/m <sup>3</sup>

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards 2	Flammability 4	Instability 0	Physical and Chemical Properties *
<b>HMIS</b>	Health hazards 2	Flammability 4	Physical hazards 0	Personal protection X

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

**End of Safety Data Sheet**