SAFETY DATA SHEETS

This SDS packet was issued with item:

078377451

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078415105 078688906 078944864

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078697392



SAFETY DATA SHEET

1. Identification

Product identifier Disal® Injection (Furosemide)

Other means of identification No

Recommended use For use in the treatment of acute non-inflammatory tissue edema in dogs and horses, and for the

use in the treatment of edema (pulmonary congestion, ascites) associated with cardiac

insufficiency in the dog.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Boehringer Ingelheim Vetmedica, Inc.

Address 2621 North Belt Hwy

St. Joseph, MO 64506-2002

Transportation emergency For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or

Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

Medical Emergency

(24HR):

(866)638-2226

Non-Emergency calls: (800) 821-7467

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2
Reproductive toxicity (fertility, the unborn Category 1B

child)

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye irritation. May damage fertility. May damage the unborn

child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

925628 Version #: 03

classified (HNOC)

None known.

Revision date: 10-April-2019

Supplemental information None.

Composition/information on ingredients

Mixtures

Disal® Injection (Furosemide)

Issue date: 06-May-2015

1/8

Chemical name	CAS number	%
Furosemide	54-31-9	≤5
2-Aminoethanol	141-43-5	1

First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. Ingestion

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Most important

vision. Skin irritation. May cause redness and pain. Ingestion of a large quantity may cause

nausea and systemic effects.

Indication of immediate Not for human use. For use in animals only. Provide general supportive measures and treat medical attention and special symptomatically. Keep victim under observation. Symptoms may be delayed. Persons developing anaphylactic (life threatening) reactions, such as difficulty in breathing or unconsciousness, must treatment needed

receive immediate medical attention.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice General information

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

Fire-fighting measures

symptoms/effects, acute and

Suitable extinguishing media

Unsuitable extinguishing

media

delayed

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

None known.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

925628 Version #: 03 Revision date: 10-April-2019

Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store away from foodstuffs. Keep from freezing. Store at controlled room temperature 59-77°F (15-25°C).

Disal® Injection (Furosemide) SDS US

2/8

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)				
Components	Туре	Value		
2-Aminoethanol (CAS 141-43-5)	PEL	6 mg/m3		
		3 ppm		
US. ACGIH Threshold Limit Valu	es			
Components	Туре	Value		
2-Aminoethanol (CAS 141-43-5)	STEL	6 ppm		
	TWA	3 ppm		
US. NIOSH: Pocket Guide to Che	emical Hazards			
Components	Туре	Value		
2-Aminoethanol (CAS	STEL	15 mg/m3		

Biological limit values

141-43-5)

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

TWA

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

6 ppm

8 mg/m3 3 ppm

shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Colorless.
Odor Odorless.
Odor threshold Not available.

pH 8.6

Melting point/freezing point Not available.

Initial boiling point and boiling 212 °F (100 °C)

range

Flash point Not available. Evaporation rate Not available.

Disal® Injection (Furosemide)

925628 Version #: 03 Revision date: 10-April-2019 Issue date: 06-May-2015

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density

1.06 Relative density

Solubility(ies)

Miscible Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. Auto-ignition temperature Decomposition temperature Not available. Not available. Viscosity

Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity Chemical

stability Possibility of Material is stable under normal conditions.

hazardous No dangerous reaction known under conditions of normal use.

reactions

Conditions to avoid Contact with incompatible materials. Excessive heat. Protect against direct sunlight.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes serious eye irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Ingestion of a large quantity may cause

nausea and systemic effects.

Information on toxicological effects

Not expected to be acutely toxic. Acute toxicity

Revision date: 10-April-2019

Components **Species** Test Results

2-Aminoethanol (CAS 141-43-5)

Version #: 03

Acute Dermal

LD50 Rabbit 1025 mg/kg

Oral

925628

LD50 Rat 1089 mg/kg

Disal® Injection (Furosemide) SDS US

Issue date: 06-May-2015

4/8

Species Test Results Components

Furosemide (CAS 54-31-9)

Acute

Oral

LD50 Mouse 2200 mg/kg

Rat 2700 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Furosemide (CAS 54-31-9) 3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Not listed

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity May damage fertility. May damage the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Possible hyper sensitization (development of abnormal sensitivity).

Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species** Test Results

2-Aminoethanol (CAS 141-43-5)

Aquatic

Acute

EC50 Pseudokirchnerella subcapitata 2.8 mg/l, 72 Hours Algae Crustacea EC50 Daphnia magna 32.6 mg/l, 48 Hours Fish LC50 Oncorhynchus mykiss 150 mg/l, 96 Hours

Chronic

EC50 Crustacea Daphnia magna 2.52 mg/l, 21 days

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-Aminoethanol (CAS 141-43-5) -1.31Furosemide (CAS 54-31-9) 2.03

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Disal® Injection (Furosemide) SDS US

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

Regulatory information

US federal regulations One or more components are not listed on TSCA.

> Therefore, it can only be used for TSCA exempt purposes such as R&D or veterinary use. FEDERAL LAW RESTRICTS THIS DRUG TO USE BY OR ON ORDER OF LICENSED

VETERINARIANS.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed

SARA 311/312 Hazardous Yes

chemical

Classified hazard Skin corrosion or irritation

categories

Serious eye damage or eye irritation

Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

925628

US state regulations

US. Massachusetts RTK - Substance List

Version #: 03 Revision date: 10-April-2019

2-Aminoethanol (CAS 141-43-5)

Disal® Injection (Furosemide) SDS US

Issue date: 06-May-2015

US. New Jersey Worker and Community Right-to-Know Act

2-Aminoethanol (CAS 141-43-5)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Aminoethanol (CAS 141-43-5)

US. Rhode Island RTK

2-Aminoethanol (CAS 141-43-5)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Inventory name

Taiwan Chemical Substance Inventory (TCSI) Taiwan Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

16. Other information, including date of preparation or last revision

Issue date 06-May-2015 10-April-2019 Revision date

Version # 03

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

> Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling. HMIS® is a registered trade and service mark of the American Coatings Association (ACA).

Health: 2*

Flammability: 1 Physical hazard: 0

NFPA ratings

925628

Version #: 03

HMIS® ratings



Revision date: 10-April-2019

Disal® Injection (Furosemide) 7/8

Issue date: 06-May-2015

SDS US

On inventory (yes/no)*

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

925628

Version #: 03

The information provided herein is offered by Boehringer Ingelheim Vetmedica, Inc. ("BIVI") in good faith as accurate as of the date hereof, but without guarantee. This information includes information which has been generated by other parties and provided to BIVI, and which BIVI has not independently verified. The information provided herein relates only to the specific product designated, and may not be valid where such product is used in combination with any other materials or in any process. The information provided herein is offered solely for your consideration, investigation and verification, and Boehringer Ingelheim Vetmedica, Inc. ("BIVI") expressly disclaims all liability for reliance thereon. BIVI EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE (INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) WITH RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. In addition, since the conditions of use and suitability of the product for particular uses are beyond BIVI's control, ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER, AND BIVI EXPRESSLY DISCLAIMS ANY AND ALL LIABILITY AS TO ANY RESULTS OBTAINED OR ARISING FROM ANY USE OF THE PRODUCT. Use or transmission of the information contained herein in any other format than the format as presented is strictly prohibited. Nothing herein shall be construed as permission or recommendation for the use of the product in a manner that might infringe an existing patent. BIVI neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.

Disal® Injection (Furosemide)

Issue date: 06-May-2015

Revision date: 10-April-2019