

SAFETY DATA SHEETS

This SDS packet was issued with item:

078924323

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078924473

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 1 of 11

Revision date: 02.03.2021

Laxade® Powder

SECTION 1: Identification

Product identifier

Product name: Laxade® Powder

Product code: 17073705, 12247655

Recommended use of the product and restriction on use

Relevant identified uses: A mild laxative, antacid for use in ruminant animals with simple indigestion.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Supplier:

United States

Aspen Veterinary Resources Ltd
3155 W. Heartland Drive
Liberty, MO 64068
1-800-792-1238

Emergency telephone number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300 (24 hours)

Outside USA and Canada: +1-703-527-3887 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

Skin sensitization, category 1

Specific target organ toxicity - repeated exposure, category 2

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H373 May cause damage to organs (Lungs) through prolonged or repeated exposure (inhalation).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 2 of 11

Revision date: 02.03.2021

Laxade® Powder

Precautionary statements:

- P264 Wash hands thoroughly after handling
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P272 Contaminated work clothing must not be allowed out of the workplace
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P302+P352 IF ON SKIN: Wash with plenty of water/soap
- P362 Take off contaminated clothing and wash it before reuse
- P321 Specific treatment (see supplemental first aid instructions on this label)
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337+P313 If eye irritation persists: Get medical advice/attention
- P314 Get medical advice/attention if you feel unwell
- P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 1309-42-8	Magnesium hydroxide	5-80
CAS number: 1332-58-7	Kaolin	20-40
CAS number: 119-36-8	Methyl salicylate	0.1-1.5
CAS number: 7631-86-9	Silicon dioxide	0.1-1
CAS number: 84696-15-1	Ginger, ext.	0.1-0.69
CAS number: 84625-29-6	Capsicum annuum, ext.	0.1-0.5

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 3 of 11

Revision date: 02.03.2021

Laxade® Powder

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Swallowing large amounts may cause abdominal cramps.

Delayed symptoms and effects:

May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 4 of 11

Revision date: 02.03.2021

Laxade® Powder

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Kaolin	1332-58-7	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
	Kaolin	1332-58-7	8-Hour TWA-PEL: 5 mg/m ³ (respirable fraction)
	Silicon dioxide	7631-86-9	8-Hour TWA-PEL: 2 mg/m ³
NIOSH	Kaolin	1332-58-7	REL-TWA: 10 mg/m ³ (up to 10 hr, total dust)
	Kaolin	1332-58-7	REL-TWA: 5 mg/m ³ (up to 10 hr, respirable dust)
	Silicon dioxide	7631-86-9	REL-TWA: 6 mg/m ³ (up to 10 hrs.)
	Silicon dioxide	7631-86-9	IDLH: 3000 mg/m ³
ACGIH	Kaolin	1332-58-7	8-Hour TWA: 2 mg/m ³ (respirable dust - Containing no asbestos and <1% crystalline silica)
United States(California)	Kaolin	1332-58-7	8-Hour TWA-PEL: 2 mg/m ³
	Silicon dioxide	7631-86-9	8-Hour TWA-PEL: 6 mg/m ³ (precipitated and gel)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 5 of 11

Revision date: 02.03.2021

Laxade® Powder

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Silicon dioxide	7631-86-9	8-Hour TWA-PEL: 6 mg/m ³ (total dust)
	Silicon dioxide	7631-86-9	8-Hour TWA-PEL: 3 mg/m ³ (respirable dust)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Off white - bulky powder
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 6 of 11

Revision date: 02.03.2021

Laxade® Powder

Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Complete solubility in water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Free moisture, high humidity, extreme heat, open flames, hot surfaces, sparks, static discharge, ignition sources, and incompatible materials.

Incompatible materials:

Maleic anhydride.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Capsicum annum, ext.	Oral ATE	LD50 Rat: 500 mg/kg
Kaolin	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 5000 mg/kg
Magnesium hydroxide	oral	LD50 Rat: 8500 mg/kg
	inhalation	LC50 Rat: >2.1 mg/L (4 hours)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 7 of 11

Revision date: 02.03.2021

Laxade® Powder

Name	Route	Result
Methyl salicylate	oral	LD50 Rat: 887 mg/kg
	inhalation	LC50 Rat: >0.9 mg/L (1 hour)
Silicon dioxide	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 5000 mg/kg
	inhalation	LC50 Rat: > 58.8 mg/L (4hr)

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
Capsicum annum, ext.	Causes skin irritation.
Ginger, ext.	Causes skin irritation.
Kaolin	Causes skin irritation.
Methyl salicylate	Causes skin irritation.

Serious eye damage/irritation

Assessment:

Causes serious eye irritation.

Product data:

No data available.

Substance data:

Name	Result
Capsicum annum, ext.	Causes serious eye irritation.
Ginger, ext.	Causes serious eye irritation.
Kaolin	Causes serious eye irritation.
Methyl salicylate	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction.

Product data:

No data available.

Substance data:

Name	Result
Ginger, ext.	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 8 of 11

Revision date: 02.03.2021

Laxade® Powder

Name	Classification
Silicon dioxide	Group 3

National Toxicology Program (NTP):

Name	Classification
Magnesium hydroxide	Not Applicable

OSHA Carcinogens: Not applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment:

May cause damage to organs through prolonged or repeated exposure.

Product data:

No data available.

Substance data:

Name	Result
Kaolin	Chronic exposure to airborne dust may cause damage to the lungs, including pulmonary fibrosis.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Ginger, ext.	May be fatal if swallowed and enters airways.

Information on likely routes of exposure:

Skin contact, eye contact, inhalation and ingestion.

Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

Other information:

No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 9 of 11

Revision date: 02.03.2021

Laxade® Powder

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Ginger, ext.	EC50 Daphnia magna: 8.752 mg/L (48 h)
Magnesium hydroxide	LC50 Pimephales promelas: 306.79 mg/L (96 hours)
	EC50 Daphnia magna: 343 mg/L (48 hours)
Methyl salicylate	LC50 Danio rerio: 19.8 mg/L (96 hours)

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Ginger, ext.	The substance is not readily biodegradable (46% degradation at end of test).
Methyl salicylate	This substance is readily biodegradable.

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Methyl salicylate	This substance has low potential for bioaccumulation.
Silicon dioxide	BCF: 3.16 L/kg

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Magnesium hydroxide	Kd: 1.65; Substance has low potential to adsorb to soil.
Methyl salicylate	This substance has low potential for being adsorbed by the soil.
Silicon dioxide	Mobile (log Koc: 1.337)

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Magnesium hydroxide	This substance is not PBT.
Methyl salicylate	This substance is not PBT.
Silicon dioxide	This substance is not PBT.

vPvB assessment:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 10 of 11

Revision date: 02.03.2021

Laxade® Powder

Magnesium hydroxide	This substance is not vPvB.
Methyl salicylate	This substance is not vPvB.
Silicon dioxide	This substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.03.1993

Page 11 of 11

Revision date: 02.03.2021

Laxade® Powder

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 313 toxic chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

1332-58-7	Kaolin	Listed
7631-86-9	Silicon dioxide	Listed

New Jersey Right to Know:

1332-58-7	Kaolin	Listed
7631-86-9	Silicon dioxide	Listed

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know:

1332-58-7	Kaolin	Listed
119-36-8	Methyl salicylate	Listed
7631-86-9	Silicon dioxide	Listed

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-0-0

HMIS: 2-0-0

Initial preparation date: 02.03.1993

Revision date: 02.03.2021

Revision Notes:

Revision Date	Notes
2021-02-03	Version 3.

End of Safety Data Sheet