

SAFETY DATA SHEETS

This SDS packet was issued with item:

078074104

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078071823

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

SECTION 1. IDENTIFICATION

Product name : Imidocarb Injection Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : 2000 Galloping Hill Road
 Kenilworth - New Jersey - U.S.A. 07033

Telephone : 908-740-4000

Telefax : 908-735-1496

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Reproductive toxicity : Category 2

Specific target organ systemic toxicity - single exposure (Oral) : Category 1 (Central nervous system)

Specific target organ systemic toxicity - repeated exposure (Oral) : Category 1 (Liver, Kidney)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H361d Suspected of damaging the unborn child.
 H370 Causes damage to organs (Central nervous system) if swallowed.
 H372 Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe mist or vapors.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Imidocarb	27885-92-3	>= 10 - < 20
Propionic acid	79-09-4	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/15/2018
3.0	08/30/2018	632255-00006	Date of first issue: 05/02/2016

Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
 Causes damage to organs if swallowed.
 Causes damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Use water spray to cool unopened containers.
 Remove undamaged containers from fire area if it is safe to do so.
 Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
 Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
 Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.
 Prevent further leakage or spillage if safe to do so.
 Prevent spreading over a wide area (e.g., by containment or oil barriers).
 Retain and dispose of contaminated wash water.
 Local authorities should be advised if significant spillages

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
 Clean up remaining materials from spill with suitable absorbent.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid inhalation of vapor or mist.
 Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Organic peroxides
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Imidocarb	27885-92-3	TWA	50 µg/m ³ (OEB 3)	Internal
		Wipe limit	500 µg/100 cm ²	Internal
Propionic acid	79-09-4	TWA	10 ppm	ACGIH

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

		TWA	10 ppm 30 mg/m ³	NIOSH REL
		ST	15 ppm 45 mg/m ³	NIOSH REL

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
Date of first issue: 05/02/2016

When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear
Odor	:	No information available.
Odor Threshold	:	No data available
pH	:	4.5
Melting point/freezing point	:	212 °F / 100 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/15/2018
3.0	08/30/2018	632255-00006	Date of first issue: 05/02/2016

Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

|| Imidocarb:

Acute oral toxicity	:	LD50 (Rat): 1,216 - 1,652 mg/kg LD50 (Mouse): 544 - 702 mg/kg LD50 (Rabbit): 317 mg/kg
---------------------	---	--

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

Acute inhalation toxicity : Remarks: No data available
 Acute dermal toxicity : Remarks: No data available
 Acute toxicity (other routes of administration) : LD50 (Rat): 32.7 mg/kg
 Application Route: Intravenous
 LD50 (Mouse): 22.3 mg/kg
 Application Route: Intravenous

Propionic acid:

Acute oral toxicity : LD50 (Rat): 3,455.1 mg/kg
 Acute dermal toxicity : LD50 (Rat): 3,235 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Imidocarb:

Remarks : No data available

Propionic acid:

Species : Rabbit
 Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Imidocarb:

Remarks : No data available

Propionic acid:

Species : Rabbit
 Result : Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Imidocarb:

Remarks : No data available

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

Propionic acid:

Test Type : Maximization Test
 Routes of exposure : Skin contact
 Species : Guinea pig
 Result : negative
 Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Imidocarb:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Rat
 Application Route: Oral
 Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Mouse
 Application Route: Oral
 Result: negative

Propionic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Chinese hamster
 Application Route: Intraperitoneal injection
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Imidocarb:

Species : Rat
 Application Route : Oral

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

Exposure time : 104 weeks
 LOAEL : 240 mg/kg body weight
 Result : negative
 Target Organs : Mammary gland
 Remarks : The mechanism or mode of action may not be relevant in humans.

Propionic acid:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Imidocarb:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Fertility: LOAEL: 135 mg/kg body weight
 Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Fertility: NOAEL: 45 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: LOAEL: 76 mg/kg body weight
 Result: Effects on fetal development., No teratogenic effects.

Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 20 mg/kg body weight

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Propionic acid:

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

Components:

Imidocarb:

Target Organs : Central nervous system
 Assessment : Causes damage to organs.

Propionic acid:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

Components:

Imidocarb:

Target Organs : Liver, Kidney
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Imidocarb:

Species : Rat
 LOAEL : 125 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver

Species : Rat
 NOAEL : 76 mg/kg
 LOAEL : 415 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver

Species : Dog

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

LOAEL : 5 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver, Kidney
 Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat
 NOAEL : 15 mg/kg
 LOAEL : 60 mg/kg
 Application Route : Oral
 Exposure time : 104 Weeks
 Target Organs : Liver, Kidney, Blood

Species : Monkey
 NOAEL : 5 mg/kg
 Application Route : Oral
 Exposure time : 30 Days
 Remarks : No significant adverse effects were reported

Propionic acid:

Species : Rat
 NOAEL : 50000 ppm
 Application Route : Ingestion
 Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Imidocarb:

Inhalation : Target Organs: Central nervous system
 Symptoms: Salivation, muscle twitching, Tremors, Lachrymation, ataxia, lethargy
 Remarks: Based on Animal Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propionic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.3 mg/l
 Exposure time: 96 h
 Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 22.7 mg/l
 Exposure time: 48 h
 Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 48.7 mg/l
 Exposure time: 72 h

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

||

Persistence and degradability

Components:

||
||
||

Propionic acid:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 93 %
 Exposure time: 20 d

Bioaccumulative potential

Components:

||
||
||
||

Imidocarb:

Partition coefficient: n-octanol/water : log Pow: 3.88

Propionic acid:

Partition coefficient: n-octanol/water : log Pow: 0.33

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Propionic acid	79-09-4	5000	166666

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Imidocarb	27885-92-3
Propionic acid	79-09-4

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California List of Hazardous Substances

Propionic acid	79-09-4
----------------	---------

California Permissible Exposure Limits for Chemical Contaminants

Propionic acid	79-09-4
----------------	---------

The ingredients of this product are reported in the following inventories:

AICS : not determined
 DSL : not determined
 IECSC : not determined


Imidocarb Injection Formulation

Version 3.0 Revision Date: 08/30/2018 SDS Number: 632255-00006 Date of last issue: 04/15/2018
 Date of first issue: 05/02/2016

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY	1	
PHYSICAL HAZARD	0	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 ACGIH / TWA : 8-hour, time-weighted average
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/15/2018
3.0	08/30/2018	632255-00006	Date of first issue: 05/02/2016

tative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 08/30/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
 Date of first issue: 05/02/2016

Response:

P307 + P311 IF exposed: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Imidocarb	27885-92-3	>= 10 - < 20
Propionic acid	79-09-4	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
 Causes damage to organs if swallowed.
 Causes damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
Date of first issue: 05/02/2016

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
-

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
 Date of first issue: 05/02/2016

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.
 Do not swallow.
 Avoid contact with eyes.
 Avoid prolonged or repeated contact with skin.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Imidocarb	27885-92-3	TWA	40 µg/m ³ (OEB 3)	Internal
		Wipe limit	400 µg/100 cm ²	Internal
Propionic acid	79-09-4	TWA	10 ppm	ACGIH
		TWA	10 ppm 30 mg/m ³	NIOSH REL
		ST	15 ppm 45 mg/m ³	NIOSH REL

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2022
4.9	04/04/2023	632255-00016	Date of first issue: 05/02/2016

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear
Odor	: No data available
Odor Threshold	: No data available
pH	: 4.5
Melting point/freezing point	: 212 °F / 100 °C
Initial boiling point and boiling range	: No data available
Flash point	: No data available

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2022
4.9	04/04/2023	632255-00016	Date of first issue: 05/02/2016

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
Date of first issue: 05/02/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Imidocarb:

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg
LD50 (Mouse): 544 - 702 mg/kg
LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 32.7 mg/kg
Application Route: Intravenous
LD50 (Mouse): 22.3 mg/kg
Application Route: Intravenous

Propionic acid:

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat, female): 3,235 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Imidocarb:

Remarks : No data available

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2022
4.9	04/04/2023	632255-00016	Date of first issue: 05/02/2016

Species: Rat
 Application Route: Oral
 Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Oral
 Result: negative

Propionic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Hamster
 Application Route: Intraperitoneal injection
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Imidocarb:

Species : Rat
 Application Route : Oral
 Exposure time : 104 weeks
 LOAEL : 240 mg/kg body weight
 Result : negative
 Target Organs : Mammary gland
 Remarks : The mechanism or mode of action may not be relevant in humans.

Propionic acid:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2022
4.9	04/04/2023	632255-00016	Date of first issue: 05/02/2016

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Imidocarb:

- Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: LOAEL: 135 mg/kg body weight
Result: Adverse neonatal effects.
- Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 45 mg/kg body weight
- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 76 mg/kg body weight
Result: Effects on fetal development. , No teratogenic effects.
- Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 19 mg/kg body weight
- Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 20 mg/kg body weight
Result: No effects on fetal development.
- Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Propionic acid:

- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

Components:

Imidocarb:

- Target Organs : Central nervous system
Assessment : Causes damage to organs.

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2022
4.9	04/04/2023	632255-00016	Date of first issue: 05/02/2016

Propionic acid:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

Components:

Imidocarb:

Target Organs : Liver, Kidney
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Propionic acid:

Assessment : No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

Repeated dose toxicity

Components:

Imidocarb:

Species : Rat
 LOAEL : 125 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver

Species : Rat
 NOAEL : 76 mg/kg
 LOAEL : 415 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver

Species : Dog
 LOAEL : 5 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver, Kidney
 Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat
 NOAEL : 15 mg/kg
 LOAEL : 60 mg/kg
 Application Route : Oral
 Exposure time : 104 Weeks
 Target Organs : Liver, Kidney, Blood

Species : Monkey
 NOAEL : 5 mg/kg
 Application Route : Oral

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
Date of first issue: 05/02/2016

Exposure time : 30 Days
Remarks : No significant adverse effects were reported

Propionic acid:

Species : Dog
NOAEL : 733.4 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 409

Species : Mouse, female
LOAEL : 136.9 mg/kg
Application Route : Skin contact
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Imidocarb:**

Inhalation : Target Organs: Central nervous system
Symptoms: Salivation, muscle twitching, Tremors, Lachry-
mation, ataxia, lethargy
Remarks: Based on Animal Evidence

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Propionic acid:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 96 h
Method: DIN 38412
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EbC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 44.6 mg/l
Exposure time: 17 h
Method: DIN 38 412 Part 8

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
Date of first issue: 05/02/2016

Persistence and degradability

Components:

Propionic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 74 %
Exposure time: 30 d

Bioaccumulative potential

Components:

Imidocarb:

Partition coefficient: n-octanol/water : log Pow: 3.88

Propionic acid:

Partition coefficient: n-octanol/water : log Pow: 0.33

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
 Date of first issue: 05/02/2016

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Propionic acid	79-09-4	5000	166666

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Imidocarb	27885-92-3
Propionic acid	79-09-4

California List of Hazardous Substances

Propionic acid	79-09-4
----------------	---------

California Permissible Exposure Limits for Chemical Contaminants

Propionic acid	79-09-4
----------------	---------

The ingredients of this product are reported in the following inventories:

AICS : not determined
 DSL : not determined
 IECSC : not determined


SECTION 16. OTHER INFORMATION

Further information

Imidocarb Injection Formulation

Version 4.9 Revision Date: 04/04/2023 SDS Number: 632255-00016 Date of last issue: 10/01/2022
 Date of first issue: 05/02/2016

NFPA 704:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY	1	
PHYSICAL HAZARD	0	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZbC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act;

Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/01/2022
4.9	04/04/2023	632255-00016	Date of first issue: 05/02/2016

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/04/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8