

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078915863

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078906789



# SAFETY DATA SHEET

## Millpledge Eaze-Off®

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Millpledge Eaze Off® 50mL and 200mL Aerosol Dispensers

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.4. Details of the supplier of the safety data sheet

Manufacturer & Supplier:

UK Millpledge Ltd Whinleys Estate Clarbrough, Retford, Notts DN22 9NA  Tel: 01777 708440	USA: Millpledge North America Inc. 828 Mitchell Road, Thousand Oaks CA 91320 USA  Tel: (888) 715-9909	CANADA: Millpledge Canada Ltd. 6 - 73 Galaxy Blvd. Toronto, Ontario M9W 5T4 Canada  Tel: (888) 715-9909
--	---	---

#### 1.5. Emergency telephone number

In case of emergency telephone:

ChemTel Inc & Millpledge Contract Number: MIS0008010

International +1 813-248-0585

US Domestic 1-800-255-3924 ChemTel Inc, FL, USA.

Australia Haz Mat Contact: 1-300-954-583

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards                      Aerosol 2 - H223, H229 Flam. Liq. 2 - H225

Health hazards                        Not Classified

Environmental hazards              Aquatic Acute 1 - H400

#### 2.1. Label Elements

Hazard pictograms



Signal word

Danger

Hazard statements

H223 Flammable aerosol.

H229 Pressurised container: may burst if heated.

H225 Highly flammable liquid and vapour.

H400 Very toxic to aquatic life.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P251 Do not pierce or burn, even after use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

**Siloxanes 60 - 100%**

CAS numbers: Proprietary

M factor (Acute) = 1

#### Classification

Flam. Liq. 2 - H225

Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Remove affected person from source of contamination.
Ingestion	Give plenty of water to drink. Do not induce vomiting.
Skin contact	Rinse with water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Powder. Carbon dioxide (CO <sub>2</sub> ). Dry chemicals, sand, dolomite etc.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

Protective actions during firefighting - Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** No smoking, sparks, flames or other sources of ignition near spillage.

### 6.2. Environmental precautions

**Environmental precautions** Avoid contamination of ponds or watercourses with washing down water.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Collect and dispose of spillage as indicated in Section 13.

### 6.4. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame. Read label before use.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep container dry. Do not store near heat sources or expose to high temperatures.

### 7.3. Specific end use(s)

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance** Clear liquid.

**Odour** Slight

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition.

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

<b>Inhalation</b>	No specific symptoms known
<b>Ingestion</b>	No specific symptoms known
<b>Skin contact</b>	No specific symptoms known
<b>Eye contact</b>	No specific symptoms known.

**SECTION 12: Ecological information**

**Ecotoxicity** Very toxic to aquatic life.

**12.1. Toxicity****12.2. Persistence and degradability****12.3. Bioaccumulative potential****12.4. Mobility in soil****12.5. Results of PBT and vPvB assessment****12.6. Other adverse effects****SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information** Dispose of waste product or used containers in accordance with local regulations

**SECTION 14: Transport information****14.1. UN number**

<b>UN No. (ADR/RID)</b>	1950
<b>UN No. (IMDG)</b>	1950
<b>UN No. (ICAO)</b>	1950
<b>UN No. (ADN)</b>	1950

**14.2. UN proper shipping name**

**Proper shipping name (ADR/RID)** AEROSOLS FLAMMABLE

**Proper shipping name (IMDG)** AEROSOLS FLAMMABLE

**Proper shipping name (ICAO)** AEROSOLS FLAMMABLE

**Proper shipping name (ADN)** AEROSOLS FLAMMABLE

**14.3. Transport hazard class(es)**

'Limited Quantity' 1L, Max 30kg (66lbs) gross weight per outer shipper

<b>DOT</b>	2.1
<b>ADR/RID class</b>	2.1 (200mL only)
<b>ADR/RID classification code</b>	5F (200mL only)
<b>ADR/RID label</b>	2.1 (200mL only)
<b>IMDG class</b>	2.1
<b>ICAO class/division</b>	2.1
<b>ADN class</b>	2.1
<b>Transport labels</b>	



**SECTION 14: Transport information (continued)****14.4. Packing group - III / Z**

Packing instructions P207 LP200

Special packing instructions PP87 RR6 L2

Mixed packing provisions MP9

**14.5. Environmental hazards****14.6. Special precautions for user -****EmS** F-D, S-U**ADR transport category** 2**Tunnel restriction code** (D)**Special provisions** 190, 327, 344, 625**14.7 Special provisions for carriage:** Packages V14**Special provisions for carriage:** Loading and unloading CV9 CV12**Special provisions for carriage:** Operation S2**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.2. Chemical safety assessment****SECTION 16: Other information**

**Issued by** Millpledge Ltd  
**Revision date** 10/01/2023  
**SDS number** FEO0050 / FEO0200  
**Hazard statements in full**

H223 Flammable aerosol.  
H225 Highly flammable liquid and vapour.  
H229 Pressurised container: may burst if heated.  
H400 Very toxic to aquatic life.

Further product information available from:

**UK**

Millpledge Ltd  
Whinleys Estate  
Clarlborough, Retford, Notts  
DN22 9NA  
Tel: 01777 708440  
Email: nasales@millpledge.com  
Website: millpledgeveterinary.us

**USA:**

Millpledge North America Inc.  
828 Mitchell Road,  
Thousand Oaks  
CA 91320  
Tel: (888) 715-9909  
Email: nasales@millpledge.com  
Website: millpledgeveterinary.us

**CANADA:**

Millpledge Canada Ltd.  
6 - 73 Galaxy Blvd.  
Toronto, Ontario  
M9W 5T4  
Tel: (888) 715-9909  
Email: casales@millpledge.com  
Website: millpledgeveterinary.ca

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. Eaze-Off® is a registered trademark of Millpledge Ltd.

