

SAFETY DATA SHEETS

This SDS packet was issued with item:

078003101

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

075001003 078412535

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

SECTION 1 - IDENTIFICATION

Product Identifier

Product Name: Surgical Instrument Stain Remover

Product Code: 3-740

Recommended Use of the Chemical and Restrictions on Use

Recommended Use: Used for removing stains and tarnish from surgical instruments.

Restrictions on Use: Please be advised that the Instrument Stain Remover (3-740) is not recommended for use on ophthalmic instrumentation unless a verifiable method is employed by the user to determine, with 100% certainty, that all abrasive pumice is removed from the surface of the instrument.

Details of the Supplier

Manufactured for: Integra York PA, Inc.
589 Davies Dr.
York, PA 17402 USA
1-866-854-8300

Emergency Phone Number

24-Hour Number: 1-800-535-5053
International: 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Hazard Class	Category
Serious Eye Damage/Eye Irritation	2B
Skin Corrosion/Irritation	2

Label Elements

GHS label elements, including hazard and precautionary statements:

Hazard pictogram(s):



Signal word: Warning

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

Hazard Statement(s):

Causes eye irritation. Causes skin irritation.

Precautionary Statements:

Prevention:

Wash skin thoroughly after handling.
Wear appropriate chemical resistant gloves, goggles and chemical protective clothing.

Response:

IF ON SKIN:

Wash with plenty of water.
Specific treatment - refer to poison center or doctor for advice.
If skin irritation occurs: Get Medical advice/attention.
Take off contaminated clothing and wash it before reuse.

IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical attention

Components with Unknown Acute Toxicity

Oral = 85%
Dermal = 85%

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Concentration %
Citric Acid	99-92-9	<15%

SECTION 4 – FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

First Aid Measures

Skin: If on skin (on hair): Take off immediately all contaminated clothing. Rinse with water/safety shower. Call doctor if irritation persists.

Eye Contact: If in eyes: Rinse cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritated, call doctor.

Ingestion: If swallowed: Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects (Acute and Delayed)

Eye Contact: Irritation of eyes and skin.

Skin: This product can cause mild, transient skin irritation. The severity of irritation will depend on the amount of material that is applied to the skin and the speed and thoroughness that it is removed. Symptoms include redness, itching, and burning of the skin. Repeated or prolonged skin contact can produce moderate irritation (dermatitis).

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

Indication of any Immediate Medical Attention and Special Treatment Needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep victim under observation.

SECTION 5 – FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable/Unsuitable: Will not burn or support combustion. Use extinguishing media appropriate for surrounding fire, such as water spray, dry chemical, foam or carbon dioxide.

Specific Hazards Arising from Chemical

Carbon oxides may be produced.

Protective Equipment and Precautions for Firefighters

Wear chemical resistant protective equipment and self-contained breathing apparatus (SCBA).

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Methods and Material for Containment and Cleaning Up

Steps to be taken in case material is released or spilled:

Stop spill at source.

Caution: Spilled material may be slippery.

If trained in accordance with 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

Sweep up and return to container.

Waste Disposal Method: Dispose of in accordance with all applicable federal, state, and local regulations.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Wash hands thoroughly after handling. Wear appropriate chemical resistant gloves, goggles and chemical protective clothing. Eating, drinking and smoking in the work area is prohibited.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep container tightly closed.

Incompatible Materials: None identified.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Citric Acid	Not established	Not established	Not established

Appropriate Engineering Controls

None defined.

Individual Protection Measures

Respiratory Protection: None defined.

Skin and Body Protection: Wear appropriate chemical resistant gloves.

Eye/Face Protection: Wear chemical safety glasses.

General Work/Hygienic Practices: Eating, drinking and smoking in the work area is prohibited.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white granular mixture

Odor: No odor

Odor threshold: Not applicable.

pH: 2.5 – 3.5 (5% solution)

Melting point/freezing point: Not applicable.

Initial boiling point and boiling range: Not applicable.

Flash point: None

Evaporation rate: Not applicable.

Flammability (solid, gas): Non flammable

Upper/lower flammability or explosive limits: Not applicable.

Vapor pressure: Not applicable.

Vapor density: Not applicable.

Relative density: Not applicable.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

Solubility(ies): Partially soluble – 15 g powder/100 g water

Partition coefficient (n-octanol/water): Not applicable.

Auto-ignition temperature: Not applicable.

Decomposition temperature: Not applicable.

Viscosity: Not applicable.

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Hazardous polymerization will not occur.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Not specified.

Incompatible materials: Avoid contact with strong oxidizers and strong acids.

Hazardous decomposition products: Not specified.

SECTION 11 – TOXICOLOGICAL INFORMATION

Oral Administration: Citric Acid-LD50(rat)-5400 mg/kg

Dermal administration: Citric Acid-LD50(Rat)-200 mg/kg

Immediate effects: Irritation/ burns of skin and eyes.

Cancer Hazard: Not listed by IARC, NTP, OSHA, ACGIH

Routes of Exposure Eyes, Skin, Inhalation, Ingestion

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: Not specified.

Persistence and degradability: Will biodegrade readily

Bioaccumulative potential: Unlikely

Mobility in soil: Not specified.

Other adverse effects: Not specified.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Department of Transportation:
Not D.O.T regulated

SECTION 15 – REGULATORY INFORMATION

No additional information.

SECTION 16 – OTHER INFORMATION

HMIS: Health: 1 Flammability: 0 Reactivity: 0

Issue Date: 11/09/2015

Revision Date: 11/09/2015

Liability Disclaimer: SDS information is provided based on OSHA's Hazardous Communication Regulation and for use of the persons required to receive this information under this regulation. The information is neither designed nor recommended for any other use or for use by any other person, including compliance with other laws. Integra York PA, Inc. (the "Company") does not warrant the suitability for use of this SDS for any other material or product not specifically identified herein. The Company does not warrant the accuracy or authenticity of this SDS unless it has been obtained directly from the Company, or posted or viewed on a Company website. This SDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under the Company's control, each user is responsible for making their own determination as to the safe and proper handling of this material in their own particular use of this material. The Company makes no representation or warranty, either expressed or implied, including as to merchantability or fitness for a particular purpose.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

SECTION 1 - IDENTIFICATION

Product Identifier

Product Name: Surgical Instrument Stain Remover

Product Code: 3-740

Recommended Use of the Chemical and Restrictions on Use

Recommended Use: Used for removing stains and tarnish from surgical instruments.

Restrictions on Use: Please be advised that the Instrument Stain Remover (3-740) is not recommended for use on ophthalmic instrumentation unless a verifiable method is employed by the user to determine, with 100% certainty, that all abrasive pumice is removed from the surface of the instrument.

Details of the Supplier

Manufactured for: Integra York PA, Inc.
589 Davies Dr.
York, PA 17402 USA
1-866-854-8300

Emergency Phone Number

24-Hour Number: 1-800-535-5053
International: 1-352-323-3500

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Hazard Class	Category
Serious Eye Damage/Eye Irritation	2B
Skin Corrosion/Irritation	2

Label Elements

GHS label elements, including hazard and precautionary statements:

Hazard pictogram(s):



Signal word: Warning

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

Hazard Statement(s):

Causes eye irritation. Causes skin irritation.

Precautionary Statements:

Prevention:

Wash skin thoroughly after handling.
Wear appropriate chemical resistant gloves, goggles and chemical protective clothing.

Response:

IF ON SKIN:

Wash with plenty of water.
Specific treatment - refer to poison center or doctor for advice.
If skin irritation occurs: Get Medical advice/attention.
Take off contaminated clothing and wash it before reuse.

IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical attention

Components with Unknown Acute Toxicity

Oral = 85%
Dermal = 85%

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Concentration %
Citric Acid	99-92-9	<15%

SECTION 4 – FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

First Aid Measures

Skin: If on skin (on hair): Take off immediately all contaminated clothing. Rinse with water/safety shower. Call doctor if irritation persists.

Eye Contact: If in eyes: Rinse cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritated, call doctor.

Ingestion: If swallowed: Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects (Acute and Delayed)

Eye Contact: Irritation of eyes and skin.

Skin: This product can cause mild, transient skin irritation. The severity of irritation will depend on the amount of material that is applied to the skin and the speed and thoroughness that it is removed. Symptoms include redness, itching, and burning of the skin. Repeated or prolonged skin contact can produce moderate irritation (dermatitis).

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

Indication of any Immediate Medical Attention and Special Treatment Needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep victim under observation.

SECTION 5 – FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable/Unsuitable: Will not burn or support combustion. Use extinguishing media appropriate for surrounding fire, such as water spray, dry chemical, foam or carbon dioxide.

Specific Hazards Arising from Chemical

Carbon oxides may be produced.

Protective Equipment and Precautions for Firefighters

Wear chemical resistant protective equipment and self-contained breathing apparatus (SCBA).

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Methods and Material for Containment and Cleaning Up

Steps to be taken in case material is released or spilled:

Stop spill at source.

Caution: Spilled material may be slippery.

If trained in accordance with 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

Sweep up and return to container.

Waste Disposal Method: Dispose of in accordance with all applicable federal, state, and local regulations.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Wash hands thoroughly after handling. Wear appropriate chemical resistant gloves, goggles and chemical protective clothing. Eating, drinking and smoking in the work area is prohibited.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep container tightly closed.

Incompatible Materials: None identified.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Citric Acid	Not established	Not established	Not established

Appropriate Engineering Controls

None defined.

Individual Protection Measures

Respiratory Protection: None defined.

Skin and Body Protection: Wear appropriate chemical resistant gloves.

Eye/Face Protection: Wear chemical safety glasses.

General Work/Hygienic Practices: Eating, drinking and smoking in the work area is prohibited.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white granular mixture

Odor: No odor

Odor threshold: Not applicable.

pH: 2.5 – 3.5 (5% solution)

Melting point/freezing point: Not applicable.

Initial boiling point and boiling range: Not applicable.

Flash point: None

Evaporation rate: Not applicable.

Flammability (solid, gas): Non flammable

Upper/lower flammability or explosive limits: Not applicable.

Vapor pressure: Not applicable.

Vapor density: Not applicable.

Relative density: Not applicable.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

Solubility(ies): Partially soluble – 15 g powder/100 g water

Partition coefficient (n-octanol/water): Not applicable.

Auto-ignition temperature: Not applicable.

Decomposition temperature: Not applicable.

Viscosity: Not applicable.

SECTION 10 – STABILITY AND REACTIVITY

Reactivity: Hazardous polymerization will not occur.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Not specified.

Incompatible materials: Avoid contact with strong oxidizers and strong acids.

Hazardous decomposition products: Not specified.

SECTION 11 – TOXICOLOGICAL INFORMATION

Oral Administration: Citric Acid-LD50(rat)-5400 mg/kg

Dermal administration: Citric Acid-LD50(Rat)-200 mg/kg

Immediate effects: Irritation/ burns of skin and eyes.

Cancer Hazard: Not listed by IARC, NTP, OSHA, ACGIH

Routes of Exposure Eyes, Skin, Inhalation, Ingestion

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: Not specified.

Persistence and degradability: Will biodegrade readily

Bioaccumulative potential: Unlikely

Mobility in soil: Not specified.

Other adverse effects: Not specified.

SAFETY DATA SHEET

Conforms with OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Surgical Instrument Stain Remover (REF 3-740)

Revision Date: 11/9/2015

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

SECTION 14 – TRANSPORT INFORMATION

Department of Transportation:
Not D.O.T regulated

SECTION 15 – REGULATORY INFORMATION

No additional information.

SECTION 16 – OTHER INFORMATION

HMIS: Health: 1 Flammability: 0 Reactivity: 0

Issue Date: 11/09/2015

Revision Date: 11/09/2015

Liability Disclaimer: SDS information is provided based on OSHA's Hazardous Communication Regulation and for use of the persons required to receive this information under this regulation. The information is neither designed nor recommended for any other use or for use by any other person, including compliance with other laws. Integra York PA, Inc. (the "Company") does not warrant the suitability for use of this SDS for any other material or product not specifically identified herein. The Company does not warrant the accuracy or authenticity of this SDS unless it has been obtained directly from the Company, or posted or viewed on a Company website. This SDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under the Company's control, each user is responsible for making their own determination as to the safe and proper handling of this material in their own particular use of this material. The Company makes no representation or warranty, either expressed or implied, including as to merchantability or fitness for a particular purpose.